



## **PRODUCT ASSORTMENT**

C

#### PURE WATER SYSTEM

ntroduction Pure Water System	4
A: Water Fed Pole System	
nLITE® Brushes	6
nLITE® Angle adapter	10
nLITE® Water Fed Pole system	11
nLITE® Accessories	15
nLite <sup>®</sup> Connect Water Fed Pole system	16
nLite <sup>®</sup> Connect Brushes, Angle adapter & Access	ories.18

#### **B: Pure Water Filters**

Introduction	
HydroPower® Ultra Filter	20
HydroPower® Ultra Kits	23
Ion Exchange Resin	24
HydroPower® R0 Filter	
HiFlo RO Filter	29
HydroPower® RO XXL	31
Reverse osmosis filter	32

#### TRADITIONAL WINDOW CLEANING

Introduction Traditional Window Cleaning	33
Squeegees	. 34
Washers	. 39
Scrapers	.43
Telescopic Poles	. 48
Adapters & Maintenance	52
Cloths	. 53
Belts, Pouches, Buckets	. 54
Gloves & Soap	. 55
Cleaning Kits	. 56

#### INDOOR WINDOW CLEANING

STINGRAY OS System	59
Indoor Window Cleaning System	64

#### LITTER PICKING & REACHING AIDS

Introduction	65
Grabber NiftyNabber® Trigger NiftyNabber® Pro	
Paper Picker	67
Waste Collection NiftyNabber® Bagger	67

#### MAINTENANCE

Introduction	
Floor Cleaning	
erGO! clean & wax System	70
OmniClean System	74
Double Bucket	75
Microfibre Mops & Mop Holder	
Floor Squeegees	
Floor Handles	
Maintenance Tools	
Floor Scrapers	
Microfibre Cloth System	
Microfibre Cloths, Grading System	82
Cloths & Sprayer	
Dusting & Brushes	
Brushes & Dusters	
Microfibre Dusters	
Washroom Cleaning	
Toilet Cleaning	
Surface Cleaning	





## INNOVATIVE CLEANING SYSTEMS IN RELIABLE PROFESSIONAL QUALITY

For over half a century, **UNGER** has stood for professional cleaning products in more than 80 countries around the world and offers glass and building cleaners clear added value. Every day, our products let you feel how much know-how and innovative technology they contain.

The high demand for professional quality and innovation has always been part of our brand.

Our professional quality makes our tools more effective and more durable. Durability is an essential aspect of sustainability, and with it we take responsibility for our environment.

### Our company has been awarded a sustainability rating by EcoVadis and our quality management is ISO 9001

**certified.** We are also treading sustainable paths with this brochure: it is made of 100% recycled paper and produced with low-pollutant inks and varnishes and low-emission adhesives.

Our understanding of sustainability also means that we rely on long-term partnerships with our specialist dealers. We support you - through the competent expert advice of our field staff and our customer service, through eye-catching sales aids at the point of sale and through attractive and high-quality packaging that scores points both on the shelf and in online sales.



We also do our best online and rely on a continuous exchange with our community - not only via the cleaning blog on our website, but also on the social media platforms Facebook, Instagram, YouTube and LinkedIn.

Here you will find:

- Lively discussion with members of the professional cleaning
- community.
- Practical product videos
- Tips & tricks for professional cleaning

We are interested in your feedback on our brand presence. Please feel free to write to us at

**demailing@ungerglobal.com**. Whether it's criticism or ideas, we look forward to receiving them!

We wish you continued enjoyment and perfect cleaning results with our products and look forward to welcoming you to the **UNGER** community.



## WINDOW CLEANING PURE WATER SYSTEM

### **Cleaning with Pure Water**

#### WHAT IS PURE WATER ?

It's water in its purest form, physically processed to remove the minerals that would otherwise lead to limescale spots and streaks.

Such impurities are referred to as **TDS** (total dissolved solids) and are measured in **ppm** (parts per million). The water is considered 100 % demineralised (pure) when TDS is 0 ppm.

#### ADVANTAGES



**EASY:** Easy to operate and simple resin change.



**FAST:** Twice as fast as traditional glass cleaning - just one process.



COST-SAVING:

Half the labour costs. No rental for cherry picker.



**ENVIRONMENTALLY FRIENDLY:** Glass cleaning completely

without chemical cleaning agents.



#### SAFE:


Safe working from the ground up to the 6th floor, with no cherry picker or ladder whatsoever.

#### WHY USE PURE WATER FOR CLEANING?

Pure water contains phenomenal cleaning power – without using any chemicals whatsoever. One-step cleaning with pure water means there is no need to wipe and polish the glass. The pane dries streak-free and without any deposits. It is twice as quick as with traditional glass cleaning and significantly improves the cost calculations\*.

Applied with a water fed pole system, such as **UNGER nLITE**<sup>®</sup>, pure water is a fast, safe and effective method of cleaning, especially at height.

\*Prof. Dr. rer.nat. Gerhard Winter, Albstadt-Sigmaringen University, seminar documents February/March 2011



#### TYPICAL APPLICATIONS



#### WINDOW AND FACADE CLEANING:

- Fast and effective method great results!
- Easy access to hard to reach areas



#### PV- AND SOLAR PANEL CLEANING:

- Regular cleaning prevents build up of dirt for greater energy output
- Solar yield can be increased significantly!
- Cleaning with 100 % pure water leaves no streaks or detergent residue



## The UNGER Pure Water System



<image>

**PURE WATER FILTERS** 

В

There are 2 recognised methods of pure water production in the window cleaning industry – Reverse Osmosis and Deionisation.

The **UNGER** range includes filters utilising either of these methods - turn to page 21 for more information.

p. 19

A technological milestone: The new **nLITE**<sup>®</sup> system is the best and most advanced telescopic pole system that has ever existed. Ultra-light materials make work considerably easier. The innovative pole shape ensures noticeably more precision. And thanks to the easy handling of the poles and many intelligent product details, pure water cleaning is done faster than ever before.

With the high-quality material classes used, the **nLITE**<sup>®</sup> system is suitable for every application and every budget and proves to be perfect equipment for every working height - of course with **UNGER** quality "Made in Germany".

## • WATER FED POLE SYSTEM • BRUSHES


### Ultimate cleaning performance for perfect results

Outstanding down to the last detail: a fully optimized brush concept prepares you for almost any challenge.

- Clever water distribution system
- Innovative bristle technology
- Precision cleaning down to the last corner

#### RINSE BAR

This special flushing nozzle bar is attached above the brush and delivers the right amount of pure water exactly where it is needed for powerful rinsing of the cleaned surface - surface - more effective than ever before!



#### **POWER BRISTLE TECHNOLOGY**

- a Inner bristles with extremely high cleaning performance, comparable to natural hair bristles
- b Longer outer bristles for easy gliding: no more annoying jumping of the brush



#### SOFT TOUCH BUMPER

Edge protection made of soft plastic.



#### SWIVEL LOCK

You've never cleaned faster and more precisely down to the last corner: the swivel function is a completely new way of cleaning with pure water up to the first floor (6 m). Open the SwivelLock and experience the advantages:

- The brush socked, which can be swivelled freely through 180°, enables the surface to be cleaned with an S movement with the brush touching down over the entire surface
- Enlarges the work area, ideal for cleaning from boom lifts or gondolas









### **A WATER FED POLE SYSTEM**



**ANGLE BRUSH** 





## For large surfaces, frames and corners

#### EQUIPMENT AS nLITE POWER BRUSH

Rinse bar, integrated nozzle block, quick release fasteners, high quality nylon bristles. Available with flagged and unflagged bristles and in 28 cm and 41 cm lengths.

#### SPECIAL BRISTLE CUT

Allows even easier cleaning of corners with 90° angles. The short, stiff bristles inside the brush provide great scrubbing power.

#### **HIGH BRISTLE DENSITY**

Guarantees excellent cleaning with little bending as well as long durability.

The brush can also be used with hot water.

### ALL-ROUND SHOCK AND EDGE PROTECTION

The all-round shock and edge protection protects the window frame from scratches and damage and reduces noise when in contact with parts of the building. Firmly attached, cannot come loose.





#### THREE WAYS OF WATER SUPPLY

High flexibility due to three ways of water supply and therefore extremely easy removal of dirt.

Powerful cleaning by means of a water jet from the centrally integrated nozzle block.

The RinseBar can be used in two different positions: This means that window sills and roller shutter boxes can also be cleaned optimally.







## WATER FED POLE SYSTEM



#### Brushes for nLITE® CarbonComposite-, Carbon 24K- and nLite®Connect- telescopic pole systems



#### Strong cleaning performance and perfect gliding performance.

Recommended for maintenance cleaning

- With Power Bristle technology
- Nozzle block integrated in the middle of the brush for powerful dirt removal (NFK, NFF) - With a special rinse nozzle strip above the brush for powerful rinsing (NFK, NFA)

- Including hoses with quick connectors

Part No.	Size	Version	Pack
NFK28	28 cm	with rinse bar + swivel loc	1
NFK41	41 cm	with rinse bar + swivel loc	1
NFF28	28 cm	simple	1
NFF41	41 cm	simple	1
NFA28	28 cm	with adapter kit for nLite Connect poles	1
NFA41	41 cm	with adapter kit for nLite Connect poles	1



Part No.

NFR28

NFR41



Powerful cleaning performance, large cleaning area

- Including hoses with quick connectors

Size

28 cm

41 cm

Angled back for larger surfaces, frames and corners
 High bristle density, excellent cleaning with little bending of the bristles
 Special bristle cut - easy cleaning of corners with 90° angle

- With a special rinse nozzle strip above the brush for powerful rinsing

All-round bumper and edge protection, firmly attached
 Nozzle block integrated in the middle of the brush for powerful dirt removal







#### nLITE® POWER BRUSH, UNFLAGGED

Very good cleaning performance. Optimal flushing of the bristles with almost no residue. Recommended for maintenance and solar cleaning.

- With Power Bristle technology
- Nozzle block integrated in the middle of the brush for powerful dirt removal (NUK, NUF) - With a special rinse nozzle strip above the brush for powerful rinsing (NUK, NUA) - Including hoses with quick connectors
- Part No. Size Version Pack NUK28 28 cm with rinse bar + swivel loc 1 NUK41 41 cm with rinse bar + swivel loc NUF28 28 cm simple 1 NUF41 41 cm simple NUA28 28 cm with adapter kit for nLite Connect poles 1 1
- 41 cm NUA41 with adapter kit for nLite Connect poles



#### nLITE® ANGLE BRUSH, UNFLAGGED


#### Powerful cleaning performance, large cleaning area

- Angled back for larger surfaces, frames and corners - High bristle density, excellent cleaning with little bending of the bristles
- Special bristle cut easy cleaning of corners with 90° angle
- All-round bumper and edge protection, firmly attached Nozzle block integrated in the middle of the brush for powerful dirt removal
- With a special rinse nozzle strip above the brush for powerful rinsing

– including no	oses with quick connectors	
Part No.	Size	Pack
NUR28	28 cm	1
NUR41	41 cm	1







- Outside boar bristles - high cleaning power of the folded bristles, no streaks Inside bristles with Power Bristle Technology - very high scrubbing power - easy glide

- -low water absorption With a special rinse nozzle strip above the brush for powerful rinsing
- with quic

<ul> <li>Including hoses with quick connectors</li> </ul>					
Part No.	Size	Bristles	Pack		
NUH28	28 cm	Natural bristles+Power	1		
NUH41	41 cm	Natural bristles+Power	1		





Gentle surface cleaning. Reduces risk of damage to sensitive surfaces. - Thin bristles with high flexibility

- Short bristles in high density for stable fibre layout
- Nozzle block integrated in the middle of the brush for powerful dirt removal
   With a special rinse nozzle strip above the brush for powerful rinsing
- Including hoses with quick connectors

Part No.	Size	Bristles	Pack
NFS28	28 cm	synthetic, 2,5cm	1
NFS41	41 cm	synthetic, 2,5cm	1

ATTENTION: Some surfaces are easily scratched. Always test brushes prior to use.

Pack

1

1

F

# WATER FED POLE SYSTEM BRUSHES



#### BRUSH OVERVIEW for **nLITE®** telescopic pole system - also compatible with nLite® Connect telescopic pole system

			WEIGHT	WIDTH	BRISTLES		FEATURES		APPLICATION				
7			Brush complete		Material	Length (outside/ inside)	Centre nozzle block	Rinse Bar	Swivel Lock	Initial clean- ing	Maintenance cleaning	Sensitive surfaces	Solar
	nLITE® POWER	NFK28	346 g	28 cm	Power-Technology	55 mm/	~		~		~		
ALC: NO	COMPLETE	NFK41	488 g	41 cm	flagged	40 mm	v	v	•		•		
-	nLITE® POWER	NFF28	290 g	28 cm	Power-Technology	55 mm/	~				~		
-	SIMPLE	NFF41	399 g	41 cm	flagged	40 mm	•				•		
-	nLITE <sup>®</sup> POWER	NFA28	290 g	28 cm	Power-Technology	55 mm/		~			~		
-	nLite CONNECT KIT	NFA41	399 g	41 cm	flagged	40 mm		•			•		
-	nLITE <sup>®</sup> POWER	NUK28	356 g	28 cm	Power-Technology	55 mm/	~	~	~		~		
ST. C.	COMPLETE	NUK41	491 g	41 cm	unflagged	40 mm	•	•	•		•		•
-	nLITE® POWER	NUF28	294 g	28 cm	Power-Technology	55 mm/	~				~		
	SIMPLE	NUF41	402 g	41 cm	unflagged	40 mm	v				•		v
-	nLITE® POWER	NUA28	294 g	28 cm	Power-Technology	55 mm/		~			~		
-	nLite CONNECT KIT	NUA41	402 g	41 cm	unflagged	40 mm		v			•		v
	nLITE® ANGLE	NFR28	500 g	28 cm	Nylon	15-55mm	~	✓ 2 Pos.			~		
	FLAGGED	NFR41	700 g	41 cm	flagged	15-55mm	~	✓ 2 Pos.			~		
de	nLITE® ANGLE	NUR28	500 g	28 cm	Nylon			<b>.</b>					,
Contraction of the	UNFLAGGED	NUR41	700 g	41 cm	unflagged	15-55mm	$\checkmark$	✓ 2 Pos.			$\checkmark$		~
		NFS28	320 g	28 cm		2E			~			~	
	nLITE® SOFT	NFS41	440 g	41 cm	thin synthetic bristles	25 mm	$\checkmark$	$\checkmark$	~			~	
-		NUH28	333 g	28 cm		45 mm/	~		~	~			
COLUMN T	nLITE® HYBRID	NUH41	460 g	41 cm	Boarhair + Power	30 mm	•	*	v	Ň			v

#### nLITE<sup>®</sup> BRUSH COMPATIBILITY:

nLITE<sup>®</sup> Carbon Composite or Carbon 24K telescopic pole



Required adapter: NGS15 / NGS30 / NGS 45 (nLITE® angle adapter) Used Hose: DLS25

TIPS FOR USING THE NLITE® SOFT BRUSH:


#### 1. Test the brush on the surface!

Test the brush on a concealed area before using it over a wide area. On surfaces that are sensitive to scratches, undesirable permanent signs of use may occur despite the gentle surface cleaning.

#### 2. Use plenty of water!

A film of water forms which makes the brush glide better. Furthermore, the brush is rinsed well so that less dirt gets stuck in the bristles and scratches are prevented.

3. Pay attention to the cleanliness of the bristles! There should be no particles in the bristles, as this can lead to scratches. nLite<sup>®</sup> Connect telescopic pole (Alu, HiMod, UltraHiMod)



Brush Kits including all needed adapters: NFA28/41 or NUA28/41 Used Hose: \*NL11G / \*NL20G / \*NL25G / \*\*NL25H

## **ANGLE ADAPTER**



### Modular angle adapter system: Clean hard-to-reach places



Another clever feature of the new **nLITE**<sup>®</sup>pole system is the modular angle system, in which you can combine four individual elements in any number of variants in order to easily reach places that are difficult to access. Whether conservatories or overhanging façade elements, this system gives you the perfect angle for every application.




#### FAST LOCK

With a single click: simple, fast, and stable connection for every work situation:


- Change brushes in seconds
- Adjust brush angle in 45° stages
- No twisting when cleaning!

#### ANGLE ADAPTER KITS

Choose from three pre-configured angle adapter kits:



Simply adapt the modular angle adapter individually to your application






#### **nLITE®** ANGLE ADAPTER KITS

For nLITE® CarbonComposite and Carbon 24K telescopic poles.					
Part No.	Info	Length	Pack		
NGS15	Angle adapter kit S	15 cm	1		
NGS30	Angle adapter kit M	42 cm	1		
NGS45	Angle adapter kit L	82 cm	1		
Not compatible	with nl ite® Connect poles.				

## PURE WATER SYSTEM A WATER FED POLE SYSTEM





		CARBO	N composite		CARBO	DN 24K	HIMod CARBON	Ultra HiMod CARBON
Part N°	СС32Т	СС60Т	CC16T	CC85T	CF60T	CF86G + 2x CF33G	UC67G + 4x UC35G	UH67G + 4x UH35G
Elements	2	4	2	6	4	6 + 2 x 2	4 + 4 x 2	4 + 4 x 2
Pole length	3,20 m	6,00 m	1,60 m	8,60 m	6,00 m	14,70 m	19,50 m	19,50 m
Recommended	Ground floor	1st floor	Boom lift	2nd floor	1st floor	4th floor	6th floor	6th floor

100 GPa

210 GPa

210 GPa

360 GPa

100 GPa

Strength

100 GPa

100 GPa

760 GPa

## PURE WATER SYSTEM A WATER FED POLE SYSTEM



## A milestone for pure water cleaning:

## The all new **nLITE**<sup>®</sup> waterfed pole system

#### THE ALL NEW nLITE® NOTHING STAYS THE SAME.

#### TOP PERFORMANCE THROUGH PROGRESS

Innovation, high quality, and customer-oriented development have always been **UNGER**'s guiding principles. This applies once again to the new generation of the **nLITE**<sup>®</sup> telescopic pole system:

- German engineering in a timelessly stylish design
- Intelligent solution for faster, more flexible system setup
- Pioneering technologies for more effective cleaning results
- High Quality Made in Germany

#### MORE STABLE, HIGHER, MORE PRECISE, WOW!

**UNGER** has developed its new **nLITE**<sup>®</sup> telescopic poles to take your performance to new heights. Maximising refined details and precision while

minimising time and effort spent getting organised for your work.

- No twisting: trouble-free work and less wear and tear
- Optimal stability-to-weight ratio
- Greater pole rigidity
- More precise control of the cleaning movement

Discover the best and most advanced telescopic waterfed pole system today:



LIGHTER, MORE PRECISE, FASTER





#### SMARTLOCK CLAMPS

- Easy and quick to close with just one finger
- Robust 2C material
- Clamp mechanism that protects the carbon material and ensures a long service life for the pole
- Extension stop prevents pulling out pole elements too far

#### INTEGRATED HOSE MANAGEMENT

- Internal routing of the highly flexible Duro-Flex hose in the telescopic pole for troublefree work on windows and facades
- Complete flexibility: external routing possible thanks to optional nLITE<sup>®</sup> clips

#### PRECISIONGRIP POLE FORM

- Innovative, unique pole shape, with contact surfaces optimally adapted to the shape of your hand.
- For ergonomic working and making best use of your strength
- More precise control of the cleaning movement and high force transmission
- Uninterrupted work due to non-twisting pole

#### HIGH-END CARBON MATERIALS

Ultra-lightweight. Extremely durable.

MADE IN

GERMANY

• CARBON COMPOSITE: High quality mix of carbon and glass fibres

• CARBON 24K: Premium carbon fibres in a unique weave of 24,000 fibres per bundle

## **PURE WATER SYSTEM** WATER FED POLE SYSTEM



## Extendable carbon 24K poles:

The pole lengths offered by the all new **nLITE**<sup>®</sup> system have been created and optimised for your everyday work.

From now on, you can easily think of how many floors' you can clean. The telescopic main pole now measures 8,60 m, so it extends to the 2nd floor. Each extension pole offers exactly the additional length to take you up another storey (3,05 m).

For use in less high buildings or with a boom lift, we have the right solution for you with telescopic poles ranging from 1,60 m to 6,00 m in length.

UNGER guarantees the best possible premium quality in each of the material classes used and thus the perfect solution for every working height.




а

#### **POWER BRUSH AND** ANGLE ADAPTER

Innovative modular system that makes a difference because it offers almost limitless application options.


**TELESCOPIC MAIN POLE** 6-sections main telescopic pole.

Carbon 24K can be extended with up to 2 extension poles.









**TELESCOPIC** 

extension pole.

2 extension poles

can be used.

d

CE33G

CE86G

### PURE WATER SYSTEM

**A WATER FED POLE SYSTEM** 



nllve.

#### CARBON 24k


(Introduction)								
	Construction of the second second	CARBO	N 24K	-				
	e ie	AREON 24K						
	tn I <b>LL</b>	K - CAR	BON 2	4K				
nLITE® CARBON 24K TELESCOPIC POLE	Part No.	Info	Extended	Collapsed	Sections	Weight	Extentable	Pack
<b>Telescopic pole for medium heights.</b> – Recommended for working heights of up to <b>16 m</b> (approx. 4 floors)	CF60T	Telescopic pole	6,00 m	1,70 m	4	1,16 kg		1
Telescopic pole for medium heights. CF60T Telescopic pole 6,00 m 1,70 m 4 1,16 kg 1	1							
	CF33G		3,20 m	1,80 m	2	0,82 kg	1x CF33G	1
		ui 	Ì		(			
nLITE <sup>®</sup> CARBON 24K COMPLETE POLE		Part No.						Pack
CF86G Telescopic main pole, 6 sections, 8,60 m CF33G Telescopic extension pole, 2 sections, 3,20 m NLHCC Extension adapter NGS30 Angle adapter kit M, 42 cm NFK28 Power brush complete, 28 cm		CF12H		Length 11,90 r	n			1
	1 4 A K	CARINA AREAN	101-000 Sci					
nLITE® CARBON COMPOSITE TELESCOPIC POLE	Part No.	Info	Extended	Collapsed	Sections	Weight	Extendable	Pack
Telescopic pole for small to medium heights.						-	Extendable	
<b>Telescopic pole for small to medium heights.</b> - Recommended for working heights of up to <b>10 m</b> (approx. 2 floors) - Telescopic poles, <b>not extendable</b>	CC16T	Telescopic pole	1,60 m	0,90 m	2	0,46 kg	Extendable	1
<b>Telescopic pole for small to medium heights.</b> – Recommended for working heights of up to <b>10 m</b> (approx. 2 floors) – Telescopic poles, <b>not extendable</b>	CC16T CC32T	Telescopic pole Telescopic pole	1,60 m 3,20 m	0,90 m 1,70 m	2	0,46 kg 0,70 kg		1
<b>Telescopic pole for small to medium heights.</b> – Recommended for working heights of up to <b>10 m</b> (approx. 2 floors) – Telescopic poles, <b>not extendable</b>	CC16T CC32T CC60T	Telescopic pole Telescopic pole Telescopic pole	1,60 m 3,20 m 6,00 m	0,90 m 1,70 m 1,70 m	2 2 4	0,46 kg 0,70 kg 1,41 kg		1 1 1
<b>Telescopic pole for small to medium heights.</b> - Recommended for working heights of up to <b>10 m</b> (approx. 2 floors) - Telescopic poles, <b>not extendable</b>	CC16T CC32T CC60T	Telescopic pole Telescopic pole Telescopic pole	1,60 m 3,20 m 6,00 m	0,90 m 1,70 m 1,70 m	2 2 4	0,46 kg 0,70 kg 1,41 kg		1 1 1
<b>Telescopic pole for small to medium heights.</b> – Recommended for working heights of up to <b>10 m</b> (approx. 2 floors) – Telescopic poles, <b>not extendable</b>	CC16T CC32T CC60T	Telescopic pole Telescopic pole Telescopic pole	1,60 m 3,20 m 6,00 m	0,90 m 1,70 m 1,70 m	2 2 4 6	0,46 kg 0,70 kg 1,41 kg		1 1 1

\*GPa (Gigapascal) is a unit of measure of material strength.

## WATER FED POLE SYSTEM ACCESSORIES



<b>nLITE</b> ® P	OLE ACCESSORIES	NLI	нсс	NLHKP
Part No.	Info	Length / Ø	Pack	
NLHCC	Extension adapter	40 cm	1	
NLHKP	6 clips for outer hose routing		1 Kit	



1

NLWVI	Water flow regulator for DLS25	Ø 5/8 mm
22812	Water flow regulator for DLH25	Ø 7/10 mm

adapter and connect it there with the quick

connector.

	NLTHR	NLCLA
nLITE® THREAD ADAPTER	-	

Thread adapters for attaching brushes and tools on the new <code>nLITE®</code> telescopic poles

Part No.	Products	Pack	
NLTHR	Euro thread adapter for brushes	1	
NLCLA	Adapter for classic cleaning tools	1	



#### nLITE® TRANSPORTATION BAG

#### Solid nylon carrying bag\* for new nLITE® water-fed poles and brushes. - Comfortable and easy to transport with a handle or adjustable shoulder strap

Comfortable and easy to transport with a handle or adjustable shoulder strap
 Offers space for up to 5 poles, 2 brushes, 1 hose, 1 angle adapter, 1 extension adapter
 + two easy-to-reach outer pockets for accessories


Pack

1

\* not compatible with the nLite Connect system

Part No.

NLBAG




Fit hose clips NLHKP into the clips of the nLITE telescopic pole. Guide the hose through the clips on the outside of the pole and connect it to the angle adapter using the quick connector on the angle adapter.

## PURE WATER SYSTEM A WATER FED POLE SYSTEM



The Master and Extension Pole System, combining telescopic and modular designs: nLite® Connect.



## PURE WATER SYSTEM A WATER FED POLE SYSTEM





#### HIMOd CARBON

nLite <sup>®</sup> Connect HIMOD CARBON TELESCOPIC POLE	Part No.	Info	Extended	Collapsed	Sections	Weight	Pack
Telescopic Master Pole. The best in rigidity, superlight pole. Incl. Thread Adapter and Endcap. Ultimate material strength: 360 GPa*	UC67G	Telescopic main pole	6,63 m	1,87 m	4	1,5 kg	1
	UC35G	Telescopic extension pole	3,41m	1,91 m	2	0,7 kg	1

nLite® Connect ALUMINIUM TELESCOPIC POLE	Part No.	Info	Extended	Collapsed	Sections	Weight	Pack
Telescopic Master Pole. Excellent rigidity thanks to modern construction technology. Incl. Thread Adapter and Endcap. Ultimate material strength: 30 GPa*	AN60G	Telescopic main pole	6,00 m	1,71 m	4	2,0 kg	1
	AN45G	Telescopic main pole	4,50 m	1,34 m	4	1,6 kg	1
	AN30G	Telescopic extension pole	3,00 m	1,69 m	2	1,1 kg	1

\*GPa (Gigapascal) is a unit of measure of material strength.

## WATER FED POLE SYSTEM **BRUSHES, GOOSENECKS, ACCESSORIES**



#### nLite<sup>®</sup> Connect ACCESSORIES

40 cm

		e <sup>©</sup> Connect IUS BRUSH			
– Curved br – Variable p	ush body, ideal ositions for inte				
Part No.	Size	Weight	Jet Pos.	Pack	
NLR27	27 cm	408 g	4	1	

8



#### ATTENTION: Some surfaces are easily scratched. Always test brushes prior to use.

1



579 g

#### Superlight carbon fibre goosenecks for attaching the brushes to UNGER nLite® Connect Water Fed Poles.

- Use individually or combine 2 or more to achieve any angle ad Adaptor for

- Including hLite	Inread Adapter for	attaching the brush	

Part No.	Size	Weight	Material	Pack	
NLG20	20 cm	130 g	Carbon	1	
NLG30	30 cm	140 g	Carbon	1	

Pack

1



NLR40

#### HiFlo MultiLink ADAPTER

Plastic angle adapter with screw adjustment.	t.
--	----

- Simple to adjust - Robust

- Compatible with all nLite Connect & HiFlo Brushes

Part No.

FTGOS





Durable hose for water supply from water filter to the Brush.

- Complete with standard hose connector for water supply

- NLH25 high performance hose for RO-filter including connector for connection kit NLHPA

Part No.	Length	Ø Inner/Outer	Pack
NL11G	11 m	5/8 mm	1
NL20G	20 m	5/8 mm	1
NL25G	25 m	5/8 mm	1
NLH25	25 m	8/10 mm	1



- Fits any poles Ø 20–70mm
   Fits hoses external Ø 8 and 9mm

Part No.

Info TMOOV Complete with nLite® Clips + Hooks & Loops Straps

## WATER FED POLE SYSTEM **ACCESSORIES**





#### BRUSHES for nLite<sup>®</sup> Connect telescopic pole system

	nLite <sup>®</sup> Connect TOOL ADAPTER			
Plastic adapter for attaching tools on nLite® Connect poles. – Locking cone adapter for attaching traditional window cleaning tools				
Part No.	Pack			
HFNLC	1			
	nLite <sup>®</sup> Connect THREAD ADAPTER			
Thread adapter for attaching brushes on the nLite® Connect pole				

Part No. Pack FTTHR 1

$\frown$	$\mathbf{\lambda}$			
NLHPC	NLHPA	23232 23237	23238	nLite <sup>®</sup> Connect BRUSH CONNECTION KIT

#### Connects two jets to the brush.


23237

NLHPC (5mm hose): 2 hose pieces (each app. 29 cm) + 1 T-piece
 T-piece spare part: Part No. 14954
 NLHPA (8mm hose): for use with NLH25 and R040C

- INLITPA (offitti flose): for use with INLIT23 and R040C				
Part No.	Product	Pack		
NLHPC	Jets connection kit 5 mm	1		
NLHPA	Jets connection kit 8 mm (high performance)	1		
23238	Quick connector Y-piece 8 mm > 2x 6 mm (5 pcs)	1 kit		
23232	Plug nipple 6 mm (5 pcs)	1 kit		

1 kit

Plug nipple 8 mm (5 pcs)





(e.g. nLite® Connect and HiFlo brushes) on the new nLITE® telescopic poles.

Part No.	Pack
NLTHR	1



Interchangeable, quick release Jets for nLite® Connect Brushes.

Fan Jets for hydrophobic glass
 Pencil Jets for hydrophilic glass

- Mix and match depending on type of surface you clean

Part No.	
NLBJF	
NLBJP	

Info Pack 1 Set = 2 Jets 1 Set 1 Set = 2 Jets 1 Set






Adapters for connection of 2 hoses into one.

- Includes 2 x Hose End Pieces, 1 x Quick Connector - Insert the Hose End Pieces into each hose and connect using the Quick Connector

Part No.	Pack
NLQUI	1



Part No. Pack NLBA1 1



# PURE WATER SYSTEM B PURE WATER FILTERS

## **Choosing Your Filter System**

There are 2 recognised methods of pure water production in the window cleaning industry – **Reverse Osmosis** and **Deionisation.** 

The **UNGER** range includes filters utilising either of these methods. This page will help you to decide which method suits your cleaning requirements best and will deliver the highest return on your investment.

HYDRO POWER® ULTRA DEIONISATION FILTER (DI) p. 20



These filters utilise ion exchange resin which removes ionised salts and impurities from water, producing 100 % deionised pure water, with no waste water.

Though DI filters require a relatively low initial investment when compared to RO, frequent replacement of old resin with new is necessary for 100 % pure water production.

Mobile design and portability, with no need for power or pumps, our DI filters can be easily set up anywhere – all you need is a tap water supply.

#### **RECOMMENDED FOR:**

- Areas with soft or medium water hardness level
- Small size filters are ideal for cleaning small to moderate size areas, as well as an entry level solution for professional cleaning
- Large sizes for frequent cleaning of large areas
- Use as final stage of water purification process, after RO membrane, to achieve 100 % pure water

HYDRO POWER® REVERSE OSMOSIS FILTER (RO)



The **UNGER RO** utilizes 3 stage water purification system. First, the combi-pre-filter captures chlorine and sediments from the incoming water, then the water is directed towards 2 RO membranes which remove up to 98 % of dissolved minerals and contaminants.

At this point, the water flow is split into waste water (concentrate) that requires drainage facility and pure water which is directed to DI Polisher where any remaining impurities are filtered by ion exchange resin to produce 100 % pure water.

#### **RECOMMENDED FOR:**

- Areas with hard or very hard water level
- Constant, high volume pure water production



p. 26

## PURE WATER FILTERS HYDRO POWER<sup>®</sup> ULTRA FILTER

#### THE HYDRO POWER® ULTRA SYSTEM

### The Most Efficient DI Pure Water System Ever! Performance at the highest level:

The **UNGER HydroPower**<sup>®</sup> Ultra is setting a new standard in deionising filter technology for pure water cleaning. A definite value-add for every professional glass and building cleaner.

### Over 30 %\* More Pure Water Per Resin Filling

- Every Ultra resin pack contains a pre-portioned amount of **UNGER** premium ion-exchange resin with a **new formula**, **perfected for glass cleaning**
- The **FloWater technology 2.0** in every Ultra resin pack ensures an efficient flow of water through the whole tank which optimises the **resin saturation**
- Intuitive colour coded system + KeyLock function eliminates risk of operating errors

### Ultra Resin Packs









WATER CONNECTIONS



\*In comparison with standard DI systems (e.g. UNGER HydroPower® DI filters).Source: test results from the independent testing laboratory Miontec GmbH, 2019.



#### SIMPLE AND EFFECTIVE HANDLING



#### **TDS-Meter**

- Integrated digital measuring device displays the water hardness of the pure water coming out in ppm
- At a TDS value >10ppm the Ultra Resin Packs have to be changed

#### Easily removable cover

- Quick and easy changeover
- Ultra resin packs can be changed as easily as a coffee pad in a coffee machine

#### FastLock quick-fit fastener

- Easy to open and close the tank
  - Safe, self-locking mechanism with pressure-relief valve

#### Hig met • St cc • Ra cc

### High-quality

#### metal connections

- Stable quick-fit metal hose connector
- Reliable quick release connectors, suitable for most hoselock type fittings commonly used on most water fed poles
- Practical shut-off valve prevents leakage during transport

Choose from 2 filter sizes depending on the volume of pure water required and frequency of use to maximise your return on investment. All 3 versions are supplied complete with **Ultra Resin Packs** and integrated **TDS meter** to monitor the outgoing water hardness.









DIUH3 HydroPower® Ultra LC

#### FILTER OUTPUT

In particular the water hardness and the hydrogen carbonate content of the input water have a strong influence on the amount of pure water. The following values correspond to the output of **UNGER HydroPower® Ultra** with *average tap water:* 

	HydroPower Ultra S (DIUH1)					
	Factor	Value				
<b>.</b> .	Resin fill	1 × 6 l				
	Pure water quantity per resin filling	710 l				
	Working hours*	approx. 6 h				
	Coverage in m <sup>2</sup> **	approx. 600 m <sup>2</sup>				
	HydroPower Ultra L (DIUH2	)				
5	Factor	Value				
	Resin fill	3 × 6 l				
	Pure water quantity per resin filling	2.450 l				
	Working hours*	approx. 20 h				
Coverage in m <sup>2</sup> **		approx. 2.000 m <sup>2</sup>				
7	HydroPower Ultra LC (DIUH	13)				
	Factor	Value				
6	Resin fill	3 × 6 l				
1	Pure water quantity per resin filling	2.450 l				
50	Working hours*	approx. 20 h				
V ~	Coverage in m <sup>2</sup> **	approx. 2.000 m <sup>2</sup>				

The pure water quantities (TDS < 10 ppm) were determined by an independent test laboratory at a water flow rate of 180 l/h and under the following conditions for the input water:

TDS: 275 ppm Sum of cations and anions: 5,5 meq/l Hydrogen carbonate content of anions: 60%.

With *soft water* (<100 ppm) the pure water output can increase *more than 3 times*. With very hard water (>400 ppm), depending on the hydrogen carbonate content and ion concentration, the output can *decrease by more than half*.

\* at a water flow rate of 120 l/h \*\* with an area output of 100 m²/h


#### HydroPower® Ultra FILTER

-				
Part No.	Base	Height	<b>Resin Packs</b>	Cart
DIUH1	30 × 31 cm	35 cm	1 (6 l)	-
DIUH2	30 × 31 cm	77 cm	3 (18 l)	-
DIUH3	30 × 31 cm	107 cm	3 (18 l)	$\checkmark$

## PURE WATER FILTERS HYDRO POWER<sup>®</sup> ULTRA KITS

STARTER	KIT ALU
H	
HydroPowe	r® Ultra S + nLite® Connect ALU
	nnect Alu Master pole 6 m wer Brush 28 cm spliced, incl. quick connectors & FTGOS Angle Adapter se 20 m
Part No.	Pack
DIUK1	1

#### STARTER KIT CARBON



EXPERT	KIT LC		
	<i></i>	(	
HydroPow	er® Ultra LC + nLITE	<sup>®</sup> CARBON 24K	
CF86G nLITE® NGS30 nLITE®	ower® Ultra Filter LC Carbon 24K 8,60 m Angle adapter kit M, 42 cm Power Brush, spliced, 28 cm x hose, 25 m		Length 8,60 m
Part No.	Version	Pack	
DINK3	with cart	1	

HydroPower® Ultra KITS	STARTER KIT ALU	STARTER KIT CARBON	EXPERT KIT L	EXPERT KIT LC
Part No.	DIUK1	DINK1	DINK2	DINK3
HydroPower® Ultra Filter	S	S	L	LC
nLITE® telescopic pole	Aluminium 6 m	Carbon Composite 6 m	Carbon 24K 8,60 m	Carbon 24K 8,60 m
Angle adapter	MultiLink	S	М	М
Brush	Power 28 cm, flagged	Power 28 cm, flagged	Power complete 28 cm, flagged	Power complete 28 cm, flagged
Hose	20 m	DuroFlex 25 m	DuroFlex 25 m	DuroFlex 25 m

#### EXPERT KIT L

H H	a for the second	(	
HydroPow	er® Ultra L + nLITE® (	CARBON 24K	
CF86G nLITE® NGS30 nLITE®	ower® Ultra Filter L Carbon 24K 8,60 m Angle adapter kit M, 42 cm Power Brush, spliced, 28 cm ex hose, 25 m		Length 8,60 m
Part No	Vorsion	Back	

 Part No.
 Version
 Pack

 DINK2
 without cart
 1

## PURE WATER FILTERS **ION EXCHANGE RESIN**



#### **Ultra RESIN PACKS FOR HYDRO POWER® ULTRA FILTER**



1 × Ultra Resin Pack (6 l) DIUBS 1 for DIUH1, DIUK1 Kit with 3 Ultra Resin Packs (18 l) DIUB3 1 for DIUH2, DIUH3

#### **QuickChange RESIN BAGS FOR HYDRO POWER® DI FILTER**

#### **High comfort**



QuickChange RESIN BAGS 6 L					
Part No.	Info	Pack			
DIB64	4 bags (24 l) in air tight bucket	1			
DIB84	4 bags (24 l) in air tight bag	1			

#### PREMIUM GRADE VIRGIN MIXED BED RESIN

High capacity virgin mixed bed ion exchange resin for total de-ionisation and purification of water. Immediately produces 100% pure water for streak free glass cleaning.



PREMIUM GRADE VIRGIN MIXED BED RESIN				
Part No.	Product	Pack		
DIP25	Bucket 25 l	1		
DIB25	Bag 25 l	1		

Every Ultra resin pack contains a



pre-portioned amount of UNGER premium ion-exchange resin with a new formula, perfected for glass cleaning

The FloWater technology 2.0 in every Ultra resin pack ensures an efficient flow of water through the whole tank which optimises the resin saturation



TORO POW

The QuickChange Resin Bags allow users to speed up the resin change process - simply remove the bag with expired resin and insert a new one.

The QuickChange Resin Bags offer fast and easy resin replacement on the spot with minimal mess - anytime and anywhere!



Consisting of a mixture of a gel, type I strong basic anion exchanger, and a gel, strong acid-cation resin, for the direct demineralization of water. 40 % cation, 60 % anion, pH range 0-14.

#### Suitable for use in:

- Refillable DI cartridges
- DI pressure vessels
- Filters for Pure Water Window Cleaning

#### **RESIN CHANGE**

The conductivity measurement is used to monitor water quality. If a conductivity measurement (integrated TDS-metre) indicates a value of > 10 ppm, the resin must be replaced.

\*In comparison with standard DI systems (e.g. UNGER HydroPower® DI filters).Source: test results from the independent testing laboratory Miontec GmbH, 2019.

## PURE WATER FILTERS HYDRO POWER<sup>®</sup> RO S



#### **REVERSE OSMOSIS FILTER (RO)**

### **HydroPower® RO** S Pure water for everyone!

With the entry-level model **HydroPower RO S**, cleaning can be carried out with pure water with minimum operating costs - especially in areas with hard water. Due to its compact and robust design, the new **HydroPower RO S** system is easy to transport.

The proven RO technology from **UNGER** is based on a 3-stage filtering process for 100 % pure water, whereby the required water pressure is generated with a high-quality stainless steel pump.

#### **BOOST FUNCTION**

- Pure water mode: pure water for streak-free cleaning of windows and facades
- Boost mode: tap water at 8-10 bar for pre-rinsing heavily soiled surfaces

#### QUICK MAINTENANCE.

- The pre-filter and DI filter are easy to replace and can be visually inspected during work
- Removable back cover for easy access to all electrical components

#### **POWERFUL QUALITY PUMP**

- Centrifugal pump made of stainless steel for constant and high water flow
- Trouble-free operation even after a long time



Pack

1

#### HydroPower® RO S + nLITE® CARBON 24K

Contents: RO20C HydroPower RO S CF86G nLITE® Carbon 24K Main pole, 6-part, 8,60m CF33G nLITE® Carbon 24K Extension pole, 2-part, 3,20m NLHCC nLITE® Extension adapter NGS30 nLITE® Angle adapter kit M, 42 cm NFK41 nLITE® Power Brush, spliced, 42 cm DLH25 DuroFlex High Performance Hose, 25 m, Ø 7/10mm

Part No. RONK1

### SIMPLE AND SAFE

- TDS measuring device shows the quality of the source water at the push of a button
- Manual flushing of the RO membrane for an extended service life
- Automatic shutdown function to protect the pump if the water supply fails

#### COMPACT AND ROBUST DESIGN

- High-quality materials ensure a long service life
- Durable stainless steel quick connectors prevent dripping
- Heavy-duty stainless steel frame with maintenance-free solid rubber wheels

#### HydroPower® RO S

Part No. RO20C

Length 11,90 m

CE

## B PURE WATER FILTERS HYDRO POWER<sup>®</sup> RO M



**REVERSE OSMOSIS FILTER (RO)** 

### HydroPower<sup>®</sup> RO M The pure power of pure water

#### MODERN DESIGN AND HIGH PERFORMANCE

When it comes to developing new solutions for safe and efficient cleaning, **UNGER** always impresses with innovative product ideas. Discover the pure power of pure water with the **HydroPower® RO** M.

The compact and mobile filter system impresses with its outstanding performance features and ease of use – a real added value for professional window cleaners.

#### 100% PURE WATER

The **HydroPower® RO** M demineralises water in a 3-stage process. The combination pre-filter removes fine particles and chlorine. The high-performance double membrane filters out up to 98 % of the minerals. In the third stage, the remaining minerals are bound by an ion exchange resin.

#### **TDS METER**

 shows the performance level of the membrane and resin filter

#### **DOUBLE MEMBRANE**

 very high water production, approx. 350 l/hour\*

#### COMBINATION PRE-FILTER FINE PARTICLES/CHLORINE

 to protect both membranes

#### DOWNSTREAM RESIN FILTER

100 % pure water production

#### 2 METAL WATER OUTLETS

• for 2 users at the same time

#### 

• constant and high water flow

#### HydroPower® R0 M

Part No. R035C

: No. 50 .°C water temperature , ( har water pressure and con

\*At 18 °C water temperature, 4 bar water pressure and connected outlet hose with 1/2" inner diameter without counterpressure at the water outlet.

certified

Pack

HYDRO POWER
<image/>
3 REASONS FOR HYDRO POWER® RO M
<ol> <li>HIGH PERFORMANCE</li> <li>COMPACT, ROBUST DESIGN</li> <li>SIMPLE OPERATION &amp; MAINTENANCE</li> </ol>
27

27

## PURE WATER FILTERS HYDRO POWER<sup>®</sup> RO L



#### FIVE SMART REASONS FOR HYDRO POWER® RO L

This handful of cutting-edge features can make a huge difference to anyone who cleans with pure water.

#### (1) Maximum performance\*

With pure water output of up to 400 litres per hour, the **HydroPower® R0** is designed to be used by 1, 2 or 3 operators simultaneously.

2 Innovative RO SMARTGUARD Monitoring System Our intelligent assistant technology eliminates guesswork from managing your filter performance and maintenance.

#### (3) Self-maintenance technology

Automatic flush function before and after every use helps to prevent scaling and pollution of the RO membrane, prolonging its lifetime and reducing running costs.

#### (4) Compact and robust design

With its smart, contemporary look and high quality workmanship, the **HydroPower® RO** is built to last. Made in Germany.

#### (5) Ultra fast & easy care

User-friendly FastLock opening mechanism speeds up replacement of filters cartridges by up to 30 times.

\*at 18 °C water temperature, 4 bar water pressure, unrestricted by external hose

#### **REVERSE OSMOSIS FILTER (RO)**

### **HydroPower® RO** L The next generation in pure water technology

## Smart assistance meets easy maintenance

The **HydroPower® RO** L unites advanced intelligent technology, automation and user-friendly features, so you can concentrate what matters – doing a great job!

While you work, our unique electronic assistant, **RO SMARTGUARD** will keep watch over filter's performance and let you know if anything needs urgent attention or service.

The filter components can be changed quickly and easily - without tools.

#### **RO SMARTGUARD**

• watches over filter's performance

#### **DOUBLE MEMBRANE**

 very high water output, up to 400 l/hour\*

#### COMBI PRE-FILTER SEDIMENT & CHLORINE

 to protect both membranes

#### RESIN FILTER FOR POLISHING (4,5l)

 100 % pure water production

#### **3 METAL CONNECTORS**

 for 3 operators to work simultaneously

#### HIGH POWER PUMP

 supports the high water flow



### HydroPower® RO L Part No. Product Pack

Part No.	Product	Pack
R040C	Mobile RO-Filter	1

# **PURE WATER FILTERS HIFLO RO** GLASS FACADES



**REVERSE OSMOSIS FILTER (RO)** 

### **HiFlo RO** Glass facades The high performance RO-filter for real professionals

- Perfect for cleaning **large glass facades** more water for cleaning and rinsing on the surface
- Downstream resin filter 100 % pure water production
- Suitable for two workers without loss of capacity, or for one worker with increased water output
- Ideal for tank filling
- Automatic pump control with dry run protection
- Incl. TDS meter for checking the water and resin quality

#### DOUBLE MEMBRANE

 extended water output, approx. 700 l/hour\*

RESIN FILTER FOR POLISHING (4,5l)

 100 % pure water production

#### COMBI PRE-FILTER SEDIMENT & CHLORINE

 to protect both membranes



• Displays the produced amount of pure water

#### EXTRA HIGH POWER PUMP

• supports the high water flow

### Hiflo RO GLASS FACADES



\*At 18 °C water temperature, 4 bar water pressure and connected outlet hose with 1/2" inner diameter without counterpressure at the water outlet.

Pack



# B PURE WATER FILTERS HIFLO RO SOLAR



**REVERSE OSMOSIS FILTER (RO)** 

### **HiFlo RO** Solar Reverse osmosis filter with high pure water production for large areas

- Perfect for cleaning of **solar panels** more water on the panel, better rinsing and cleaning
- Ideal for two workers with no loss of water capacity or one worker with increased performance
- Ideal for tank filling
- Carbon filter lasts app. 200.000 l at 2 ppm chlorine
- Built in TDS meter monitors water quality
- Automatic pump control with dry run protection for added safety
- High quality, corrosion-resistant stainless steel frame

#### **DOUBLE MEMBRANE**

• extended water output, approx. 750l/hour

#### LARGE CARBON

PRE-FILTERto save membranes from chlorine

#### LARGE SEDIMENT PRE-FILTER

 to protect both membranes

#### PURE WATER

#### **FLOW METRE**

• Displays the produced amount of pure water

#### EXTRA HIGH POWER PUMP

supports the high water flow



#### HiFlo RO SOLAR

Part No. R060S

\*At 18 °C water temperature, 4 bar water pressure and connected outlet hose with  $1/2^{"}$  inner diameter without counterpressure at the water outlet.

## PURE WATER FILTERS HYDRO POWER<sup>®</sup> RO XXL



#### THE HYDRO POWER® RO XXL SYSTEM

- Fully integrated trailer system with reverse osmosis filter and 650 l water tank
- Total flexibility for producing and transporting 100 % pure water for water fed pole cleaning!
- The ONLY real alternative to commercial van mounted systems



#### MOBILITY:



Suitable for vehicles with towing capacity of at least.500 kg. High capacity baffled tank integrated into lightweight chassis for easy towing. DOT road specification, single axle, integrated lights and indicators with brake assist. Supplied with European standard coupling, jockey wheel and manual parking brake. Conforms to EU regulations.

#### SAFETY:



#### FLEXIBILITY:



**PROTECTION:** 



The multi-chamber tank design with low centre of gravity is designed to maximise stability during transportation. Also includes Auto Shut Off features, activated during water production mode when the tank becomes full and during use when the TDS of the outgoing water measures 5 ppm (can be changed to lower or higher number).

The flow rates for Wash and Rinse modes can be adjusted anytime at the digital control panel. This allows the operator(s) to choose more or less powerful flow rates to suit the cleaning job, saving and conserving water when less intense water flow is needed. You can also switch between Wash and Rinse modes at the touch of a button using the wireless remote control.

Optional protection cover for the hose reels. Robust truck tarpaulin that can be fixed on the new fixing point at the trailer frame.

- Automatic flush function helps to prevent scaling and pollution of the RO membrane and prolong its lifetime.
- Maximum tank capacity: 650 l pure water
- 1 or 2 man operation via 2 stainless steel hose reels and 2 × 12 V (10 bar, 150 psi) pumps
- 2 high quality 100 m hoses for optimal reach
- Pure water output up to 125 l per hour per person
- Digital controller monitors water flow, pressure and battery power
- Control water flow manually or by wireless remote control (max. reach 100 m in open area)
- 3 stage water purification production with dedicated 12 V (10 bar, 150 psi) pump. (Carbon Pre-filter, RO Membrane and HydroPower<sup>®</sup> DI Filter Polisher)
- Integrated TDS meter
- High capacity 12 Volt AGM battery offers 'all day' operation before requiring recharge
- Maintenance free 210 amp hour AGM battery with mains charger supplied
- Optional: Proctection cover available for hose reels.

#### **AUTOMATIC FLUSH FUNCTION**

- Extended lifespan of the membrane: An automatic 5 minute rinse at the start of the water filtration process flushes out impurities and helps to keep the membrane clean which significantly extends its service life.
- Reduced DI resin consumption: Optimised membrane performance results in higher purity of the water passing through the DI filter and therefore extends resin lifetime.
- Simplified membrane care: The conservation liquid is rinsed out from the membrane automatically, saving time and effort it would take you to do this manually.

#### HydroPower<sup>®</sup> RO XXL TRAILER

Part No. TRLR1

18845 (Protection Cover)

CE certified

## PURE WATER FILTERS **REVERSE OSMOSIS FILTER**





HydroPower® RO M





(R060C)





HydroPower® RO XXL

(TRLR1)

(R020C) (R035C) Compact design High performance • Easy operation

HydroPower® R0 S

 Maximum performance • Digital assistance system

(R040C)

 High performance R0 filter • High pure water Automatic maintenance production for large , glass surfaces

HydroPower® RO L HiFlo RO Glass facades

 High performance R0 filter High pure water production for PV & solar systems

HiFlo RO Solar

(R060S)

 Trailer system for production and transport of pure water • 650 l pure water tank

			• Automatic maintenance function	glass surfaces	& solar systems	• 650 t pure water tank
Water output power* up to	180 l/h Boost mode: 1,000 l/h	350 l/h	400 l/h	700 l/h	750 l/h	2 × 125 l/h
Water outlets	1	2	3	1	1	2
Pump performance	0,97 kW	0,97 kW	0,9 kW	1,1 kW	1,1 kW	3 × 0,1 kW
Protection class electric pump	IP54	IP54	IP54	IP54	IP54	IP54
Inlet pressure [bar]	1 – 6	1 – 6	1 – 6	1 – 6	1 – 6	1 – 6
Max. operating pressure [bar]	10	10	10	10	10	10
Pump dry run protection	$\checkmark$	~	$\checkmark$	~	~	~
Pure water flow meter	analogue	analogue	digital	analogue	analogue	-
Pre-filter	Combination filter Chlorine/Sediments (ROCA2)	Combination filter Chlorine/Sediments (ROCAR)	Combination filter Chlorine/Sediments (ROCAR)	Combination filter Chlorine/Sediments (17509)	1: Sediment filter (17521) 2: Chlorine filter (17919)	Chlorine filter (19080)
Membranes	1 (ROME2)	2 (ROMEM)	2 (ROMEM)	2 (17189)	2 (17189)	1 (19076)
Resin filter	Cartridge 0,55 l (RORE2)	Cartridge 4,5 l (RORES)	Cartridge 4,5 l (RORES)	Cartridge large 4,5 l (17201)	-	Resin bag 6 l (DIB64/DIB84)
TDS Sensors	at the water outlet	after membranes at the water outlet	after pre-filter after membranes at the water outlet	after membranes at the water outlet	after chlorine filter at the water outlet	at the water outlet
Dimensions in cm (Height × Width × Depth)	96 x 53 x 67	107 × 53 × 70	107 × 53 × 70	123 × 75 × 51	123 × 75 × 51	175 × 160 × 350
Empty weight in kg	45	75	75	83	83	740
Weight including filling	50	80	80	89	89	1.390
Cable length in m	1,5	1,5	1,5	1,5	1,5	1.6 (charger)
Battery power	-	-	-	-	-	12 V – 210 Ah

\*At 18 °C water temperature, 4 bar water pressure and connected outlet hose with 1/2" inner diameter without counterpressure at the water outlet.

The amount of produced pure water per hour depends on several factors:

1. Water Temperature - the warmer the water, as more pure water can be produced. 2. Hose diameter - the bigger the hose diameter, the higher the waterflow is. 3. Hose lenght - the longer the hose, the less the waterflow is.

#### ACCESSORIES

Main features



Handheld Total Disolved Solids (TDS) meter for measuring water hardness.

Measures water hardness instantly in ppm (parts per million).
 Battery powered

-	Includes	protective	leather	pouch

Part No.	Pack	
ROTDS	1	



Part No.

HCDEU

#### SOAP DISPENSER

For adding cleaning liquid to pure water flow, after passing through the filter unit. – Perfect to lifting stubborn dirt and greasy residue from heavily soiled surfaces Simple connection to standard garden hose - Easy to refill and adjust concentration

i



## Professional tools for classic glass cleaning

All **UNGER** products are expertly designed to meet the high demands of the Professional Window Cleaning Industry.

Innovation and ergonomics are always at the forefront of our research and product development to enable professionals to work faster, more efficiently and above all safely.

Today our range includes wide selection of traditional handheld tools and accessories, built to last and withstand continuous use, day after day.

Most of our tools can be fitted to **UNGER** telescopic pole, allowing you to clean at heights of up to 10 m safely from the ground.

Look out for the **ErgoTec**<sup>®</sup> Locking Cone symbol, identifying products that can be locked securely on the pole with a quick-release button preventing falling off or spinning.











## TRADITIONAL WINDOW CLEANING **SQUEEGEES**





#### ErgoTec® NINJA WINDOW SQUEEGEE

#### 1 🐜

#### Complete with NINJA Channel and professional soft rubber.

- Ergonomic handle with 180° swivel

Rubber

Soft

Soft

Soft

Soft

Soft

Soft

Pack

5

5

5

5

5

5

- Handle with TriLoc mechanism for secure hold of the channel

Size

30 cm

35 cm

45 cm

30 cm

35 cm

45 cm

- Extruded Aircraft Aluminum T6 Channel: will not bend or break
- Fits securely to pole with Locking Cone Angle

40°

40°

40°

30°

30°

30°

Part No.

EN300

EN350

EN450

E3300

E3350

F3450



Choose between 40° and 30° head angle versions



Locking Mechanism to secure the swivel head in center position



## closed open

New and improved



end clip mechanism



- Ergonomic swivel handle with 180° swivel
- TriLoc mechanism for secure hold of the channel
- Fits securely to pole with Locking Cone

ErgoTec® NINJA HANDLE

Part No.	Angle	Pack	
EN000	40°	5	
E3000	30°	5	

#### i **RUBBER INFO**





- Shore hardness: 52 ± 3 Ideal for colder temperatures \_ - Adjusts better to uneven surfaces



- Shore hardness: 60 ± 3
- Ideal for warmer temperatures
- Ideal for large, smooth surfaces



The center position can be locked by pressing the lock button



#### ErgoTec® NINJA SQUEEGEE CHANNEL

### Complete with soft rubber and SmartClip end clips. – Extruded Aircraft Aluminum T6 Channel: will not bend or break

- Perfect pressure distribution

#### - Fast and easy rubber change

	J			
Part No.	Size	Rubber	Pack	
AC200	20 cm	Soft	5	
AC250	25 cm	Soft	5	
AC300	30 cm	Soft	5	
AC350	35 cm	Soft	5	
AC450	45 cm	Soft	5	
AC550	55 cm	Soft	5	
AC650	65 cm	Soft	5	
AC750	75 cm	Soft	5	
AC920	92 cm	Soft	5	
AC105	105 cm	Soft	5	

34



Pack

1

🚀 🐩

**₽**/ĵ] ★★★

\*\*\* **آراً** 

/i] \*\*

#### ErgoTec® CARBON HANDLE

#### The lightest professional squeegee handle.

- 18 % lighter than bicomponent ErgoTec<sup>®</sup> squeegee handle
   Made of premium carbon fibre: T700, 7 layers; S-Spring: High value stainless steel 1.4310
- Anti-slip coating for reliable grip
   Compatible with S-Channel and S-Channel Plus
- Fits securely to pole with Locking Cone
- Part No.

UCHOO

#### ErgoTec® SQUEEGEE

- Stainless steel squeegee with bi-component handle.
- Handle with optimised S-spring for quick and simple channel change
- Fits securely to pole with Locking Cone
   Compatible with S-Channel and S-Channel Plus

- NEW: Including green rubber with outstanding sliding ability (ES35G, ES45G)

55	-		
Size	Rubber	Pack	
35 cm	Green 🔵	10	
45 cm	Green 🔵	10	
25 cm	Soft	10	
35 cm	Soft	10	
45 cm	Soft	10	
55 cm	Soft	10	
25 cm	Hard	10	
35 cm	Hard	10	
45 cm	Hard	10	
55 cm	Hard	10	
	Handle	10	
+2,5 cm	Handle XL	10	
	Size           35 cm           45 cm           25 cm           35 cm           45 cm           55 cm           25 cm           35 cm           55 cm           35 cm           35 cm           55 cm	Size     Rubber       35 cm     Green ●       45 cm     Green ●       25 cm     Soft       35 cm     Soft       45 cm     Soft       55 cm     Soft       25 cm     Hard       35 cm     Hard       35 cm     Hard       35 cm     Hard       55 cm     Hard       45 cm     Hard       45 cm     Hard       55 cm     Hard	Size         Rubber         Pack           35 cm         Green ●         10           45 cm         Green ●         10           25 cm         Soft         10           35 cm         Soft         10           35 cm         Soft         10           45 cm         Soft         10           55 cm         Soft         10           25 cm         Hard         10           25 cm         Hard         10           35 cm         Hard         10           55 cm         Hard         10           55 cm         Hard         10           45 cm         Hard         10           45 cm         Hard         10           55 cm         Hard         10

#### ErgoTec® SWIVEL LOC HANDLE

#### Swivel squeegee head, freely adjustable and lockable.

Problem solver for hard to-reach places. - Advanced ergonomic bi-component handle for comfortable use

- Available in two head angles: 0° and 30°
   Compatible with S-Channel and S-Channel Plus

- Fits securely to pole with Locking Cone

Part No.	Version	Pack	
LS000	0°	5	
LA000	30°	5	

#### **S** SQUEEGEE

Pro SQUEEGEE

– Solid handle design

Part No.

PR250

PR350

PR450

PR000

- Fits on telescopic pole

\*\* -lit

Stainless steel squeegee with rubber coated handle.

Solid handle design
 Quick and simple channel change with S-Spring

- Fits on telescopic pole

- Compatible with S-Channel and S-Channel Plus

Stainless steel squeegee with rubber coated handle.

- Quick release clip for fast and easy channel change

Compatible with S-Channel and S-Channel Plus

Size

25 cm

35 cm

45 cm

Part No.	Size	Rubber	Pack	
SE250	25 cm	Soft	10	
SE350	35 cm	Soft	10	
SE450	45 cm	Soft	10	
SE25H	25 cm	Hard	10	
SE35H	35 cm	Hard	10	
SE45H	45 cm	Hard	10	
SG000		Handle	10	

Rubber

Soft

Soft

Soft

Handle

Pack

10

10

10

10

#### **VisaVersa®**

Squeegee and washer in one tool. Complete with S-Channel, Original Sleeve and professional soft rubber.

n<sup>o</sup>

30°

- Time saving performance without changing tool
- Fits securely to pole with Locking Cone
   Compatible with S-Channel and S-Channel Plus

**ErgoTec**®

ES35G ES45G

Part No.	Size	Rubber	Material	Pack	
VP250	25 cm	Soft	Blended fabric*	10	
VP350	35 cm	Soft	Blended fabric*	10	
VP450	45 cm	Soft	Blended fabric*	10	

\* Support material: 100 % polyethylene; Fibres: 100 % polyacrylic

[i] \*\*

## TRADITIONAL WINDOW CLEANING **SQUEEGEES & CHANNELS**



Classic style brass handle.

Brass channels, complete with soft rubber and plastic clips. – Sturdy and durable

- Firm channel fit with screws

- Fits on telescopic pole

Part No.	Size	Info	Pack
GS000		Brass Handle	10
GC350	35 cm	Brass Channel	10
GC450	45 cm	Brass Channel	10



#### S-CHANNEL PLUS

#### Stainless steel channel with variable positioning options.

Complete with soft rubber.

- Curved ends support the rubber at the edges for improved cleaning close to frame

Strong and durable
Easy change of rubber

- Fits ErgoTec®-, S- and Pro-squeegees

110 2190100	, o and i to squee	,000		
Part No.	Size	Rubber	Pack	
UC300	30 cm	Soft	10	
UC350	35 cm	Soft	10	
UC450	45 cm	Soft	10	



/i] \*

*i* \*

Stainless steel channel with variable positioning options. Complete with soft and hard rubber. NEW: NE25G-NE55G complete with green rubber for outstanding sliding ability

– Strong and durable - Easy change of rubber

- Fits ErgoTec®-, S- and Pro-squeegees

Part No.	Size	Rubber	Pack	
NE25G	25 cm	Green 🔵	10	
NE35G	35 cm	Green 🔵	10	
NE45G	45 cm	Green 🔵	10	
NE55G	55 cm	Green 🔵	10	
NE250	25 cm	Soft	10	
NE300	30 cm	Soft	10	
NE350	35 cm	Soft	10	
NE450	45 cm	Soft	10	
NE550	55 cm	Soft	10	
NE15H	15 cm	Hard	10	
NE25H	25 cm	Hard	10	
NE30H	30 cm	Hard	10	
NE35H	35 cm	Hard	10	
NE45H	45 cm	Hard	10	
NE55H	55 cm	Hard	10	



#### UniTec SQUEEGEE

Convenient metal squeegee, good value.

– Sturdy

- Firm channel fit with screws - Fits on telescopic pole

Part No.	Size	Info	Pack	
OW250	25 cm	Complete	10	
OW350	35 cm	Complete	10	
OW450	45 cm	Complete	10	
OG000		Handle	10	



#### UniTec SQUEEGEE LIGHT

Extra light squeegee for glass or flat surfaces in household area.

- Ideal for smooth surfaces

- Fits on telescopic pole - Lightweight, fixed aluminium channel

Part No.	Size	Info	Pack	
US300	30 cm	Complete	10	

# **TRADITIONAL WINDOW CLEANING RUBBER & ACCESSORIES**





#### **GREEN SQUEEGEE RUBBER**

Squeegee rubber with outstanding sliding ability. - Streak-free results

– Reliable, long-lasting - Professional quality - Made in Europe

, , , , , , , , , , , , , , , , , , , ,			
Part No.	Size	Pack	
RR25G	25 cm	10	
RR35G	35 cm	10	
RR45G	45 cm	10	
RR55G	55 cm	10	



#### **Pro** SQUEEGEE RUBBER

#### 10 rubbers per bag. Professional quality. - Highly durable and efficient

- Sharp edges enable thorough wiping for superior finish

Part No. Soft	Part No. Hard	Size	Pack	
RR200	RR20H	20 cm	10	
RR250	RR25H	25 cm	10	
RR350	RR35H	35 cm	10	
RR450	RR45H	45 cm	10	
RR550	RR55H	55 cm	10	
RR650	RR65H	65 cm	10	
RR750	RR75H	75 cm	10	
RR920	RR92H	92 cm	10	
RR990	RR99H	106 cm	10	



#### **Pro** SQUEEGEE RUBBER

25 rubbers per storage box. Professional quality.

#### - Highly durable and efficient

 Sharp edges enable thorough wiping for superior finish
 Sturdy plastic storage box keeps rubbers clean and stra rs clean and straight


- Stardy plastic storage box keeps rubbers clean and straight						
Part No.	Size	Rubber	Pack			
RP350	35 cm	Soft	25			
RP450	45 cm	Soft	25			
RP35H	35 cm	Hard	25			
RP45H	45 cm	Hard	25			



- Convenient and practical

- Good value deal
- Cardboard box with easy rubber access

Part No.	Size	Pack
HIXXL	15 m	1



#### **Plastic Clips**

For improved hold of rubber in the channel. Available in solid plastic or brass.

- Effectively tensions and secures squeegee rubber

- Detachable one at a time - Practical sturdy storage box

	,		
Part No.	Info	Pack	
PCLIP	Plastic Clips 40/Box	10	
	Brass Clips 100/Box		



#### Ergo HANDLE EXTENSION

Additional 20 cm reach for cleaning glass.

#### - Offers additional reach for safer cleaning without ladders

- Fits to all cone tools

Part No.	Size	Pack	
HH000	26 cm	10	



#### Belt fastening safety tool to secure a squeegee.

- Prevents squeegee from dropping - Flexible and solid, with inner cord made from kevlar

- Secure hold

Part No.	Size	Pack
SL010	55 cm	10

# TRADITIONAL WINDOW CLEANING SQUEEGEES


#### **PRODUCT OVERVIEW SQUEEGEES**

Use the guide below to compare various models of **UNGER** Squeegees and identify the right one for your cleaning tasks and budget.

1		Contract in the second	BUDGET	HAN	IDLE	SWIVEL		CHANNEL			RUB	BER*		
	A REAL PROPERTY			Material	Fits to Locking Cone	Tension adjust- ment	Fitting	Sizes	Material	Туре	Soft	Hard	Fitting	
~	ErgoTec® NINJA	The ultimate high performance squeegee, featuring TriLoc mecha- nism for reliable hold of channel and freely adjustable and lockable swivel head. Available in 30° and 40° angle version.	***	2c		Metal screw needs coin or screw- driver	TriLoc: clip press & release	20 – 105 cm	T6 Alu- minium	Molded	~	-	Side Clips on Ninja Channel	
	ErgoTec <sup>®</sup> Carbon	Superlight, hand-crafted carbon fibre handle. 18 % lighter than bicomponent ErgoTec® squeegee handle.	***	Carbon fibre		-	S-Spring: press & release	-	-	-	-	-	Press S-Spring	
	ErgoTec®	Stainless steel squeegee with bi-component handle. Advanced ergonomic design for comfortable use every day. Quick and simple channel change.	***	2c		-	S-Spring: press & release	15 – 55 cm	Stainless Steel	Molded	~	~	Press S-Spring	
	<b>ErgoTec</b> ® SwivelLoc	Swivel squeegee head, freely adjustable and lockable – a problem solver for hard-to-reach areas. Available in 2 head angles – straight and 30° version, ideal for working at height.	***	2c		Plastic screw turn 0° position fixable with button	0° screwed plate 30° S-Spring	only handle 0° / 30°	Stainless Steel	Only handle	-	-	0°: screw off plate 30° press S-Spring	
-	S	Solid, stainless steel squeegee with rubber coated handle. S-Spring for easy & quick channel and rubber change.	**	Metal + Rubber sleeve	E	-	S-Spring: press & release	15 – 55 cm	Stainless Steel	Molded	~	~	Press S-Spring	
	Pro	Standard Squeegee for daily work. Clip for easy & quick channel and rubber change. Rubber sleeve for comfortable grip.	**	Metal + Rubber sleeve	Ē	-	Clip lock easy release	15 – 55 cm	Stainless Steel	Molded	~	~	Open clip	
~	Visa- Versa®	Squeegee and washer in one tool. Great time saving choice for clean- ing at height – no need to change the tool!	**	Plastic Finger grooves		-	S-Spring: press & release	15 – 55 cm	Stainless Steel	Molded	~	~	Press S-Spring	
	GC	Classic style brass squeegee. Sturdy and durable.	*	Brass	Je le	-	Screwed Plate needs screwdriver	35 – 45 cm	Brass	Extruded	~	_	Screw off plate	
	UniTec	Basic metal squeegee. Quick channel release.	*	Metal	J.	-	Squeezed by button	25 – 45 cm	Stainless Steel	Extruded	~	-	Turn button	
5	UniTec	Lightweight squeegee for glass or flat surfaces, ideal for house- hold use.	*	Plastic	J.	-	Channel hold by handle	30 cm	Alu- minium	Extruded	~	_	Fixed to channel	

\* Soft and Hard Rubber are interchangeable and available to order separately.

PUSH ON/ SCREW ON PUSH ON AND CLICK TO LOCK IN PLACE



PREMIUM Top of the range product

\*\*\* BEST Bestseller

\*\* BETTER Standard version



# TRADITIONAL WINDOW CLEANING **WASHERS**







Swivel function: Perfect for polework

and hard-to-reach-areas

The center position can be locked by pressing the lock button

#### ErgoTec® NINJA WASHER

Complete with NINJA Washer T-Bar and highly absorbent sleeve with Microfibre.

- Ultimate cleaning performance. Sleeve is machine washable up to 500 times
   Sleeve with rows of scrubbing fibres and 2 abrasive side pads
- Strong yet lightweight hard anodised aluminium T-Bar with 180° swivel function - Fits securely to pole with Locking Cone

Part No.	Size	Material	Pack	
NA350	35 cm	Blended fabric*	5	
NA450	45 cm	Blended fabric*	5	

\*Support material: 100 % polyamide; Fibres: 70 % polyacrylic, 20 % polyethylene, 10 % polyamide



#### StripWasher® MicroStrip PAC

#### Complete washer with highly absorbent microfibre sleeve.

- Superior cleaning power
- Sleeve with side scrub pad is machine washable up to 500 times - Lightweight plastic T-Bar with water wells fits securely to pole

Part No.	Size	Material	Pack
NC350	35 cm	Microfibre*	10
NC450	45 cm	Microfibre*	10

\*Support material: 100 % polyamide; Fibres: 100 % polyethylene



#### StripWasher® Pad STRIP PAC

#### Complete washer with blended fabric sleeve and scrub pad strip.

- Removes tough dirt
- Sleeve with scrub pad is machine washable up to 500 times
   Lightweight plastic T-Bar with water wells fits securely to pole

5 5			
Part No.	Size	Material	Pack
RC350	35 cm	Scrub Pad + Fabric*	10

RC450 45 cm Scrub Pad + Fabric\* 10

\*Support material: 100 % polyethylene; Fibres: 80 % polyacrylic, 20 % polyethylene





#### ErgoTec® T-bar and power microfibre sleeve.

- 20 % higher water absorption than standard microfibre sleeves
- Machine washable and suitable for tumble drying
- Two-component handle with water wells
- Locks into place on the safety cone

Part No.	Size	Material	Pack	
BC350	35 cm	Microfibre*	10	
BC450	45 cm	Microfibre*	10	

\*Support material: 100 % polyester; Fibres: 100 % polyester



#### StripWasher® Monsoon STRIP PAC

#### Complete washer with blended, extra long fibre sleeve.

Excellent cleaning power

- Sleeve with side scrub pad is machine washable up to 500 times
- Lightweight plastic T-Bar with water wells fits securely to pole

Part No.	Size	Material	Pack	
MC350	35 cm	Blended fabric*	10	
MC450	45 cm	Blended fabric*	10	

\*Support material: 100 % polyamide; Fibres: 70 % polyacrylic, 20 % polyethylene, 10 % polyamide



#### StripWasher® Original STRIP PAC


- Complete washer with blended fabric sleeve.
- Good cleaning power
- Sleeve is machine washable up to 500 times
- Lightweight plastic T-Bar with water wells fits securely to pole

Part No.	Size	Material	Pack
WC250	25 cm	Blended fabric*	10
WC350	35 cm	Blended fabric*	10
WC450	45 cm	Blended fabric*	10

\*Support material: 100 % polyethylene; Fibres: 100 % polyacrylic

# TRADITIONAL WINDOW CLEANING WASHER T-BARS





#### 1/2 💥

#### Durable, lightweight hard anodized aluminium T-Bar.

- Ergonomic bi-component handle with 180° swivel and lock function
- Superior performance without causing excessive strain on arms and shoulders

- Fits securely to pole with Locking Cone

Part No.	Size	Pack	
NI250	25 cm	5	
NI350	35 cm	5	
NI450	45 cm	5	
NI550	55 cm	5	
NI750	75 cm	5	



**Alu** T-BAR

/i] \*\*

#### Lightweight solid aluminium T-Bar with plastic handle.

Finger grooves on the handle for secure grip
 Fits securely to pole with Locking Cone

Part No.	Size	Pack	
AT150	15 cm	10	
AT250	25 cm	10	
AT350	35 cm	25	
AT450	45 cm	25	
AT550	55 cm	10	



UniTec T-BAR

Lightweight monolithic plastic T-Bar.

#### Water wells for increased water retention Fits securely to pole with Locking Cone

= This securety to po	te with Locking Cone		
Part No.	Size	Pack	
0E250	25 cm	10	
0E350	35 cm	10	
0E450	45 cm	10	

Durable plastic T-Bar with ergonomic bi-component handle. - Water wells for increased water retention - Fits securely to pole with Locking Cone

Part No.	Size	Pack	
EH250	25 cm	10	
EH350	35 cm	10	
EH450	45 cm	10	

ErgoTec® T-BAR



Lightweight aluminium T-bar with adjustable head and plastic handle.

Angle adjustable to 7 positions with set screw
 Fits securely to pole with Locking Cone

Part No.	Size	Pack	
SV350	35 cm	5	
SV450	45 cm	5	

# **TRADITIONAL WINDOW CLEANING WASHER SLEEVES**





#### ErgoTec® NINJA SLEEVE

#### Blended fabric sleeve with 2 abrasive side pads and hooks & loops fastener.

Ultimate cleaning performance

- With rows of scrubbing fibres for effective rem^oval of stubborn dirt

- High water retention - Machine washable up to 500 times

Part No.	Size	Material	Pack	
NJ250	25 cm	Blended fabric*	5	
NJ350	35 cm	Blended fabric*	5	
NJ450	45 cm	Blended fabric*	5	
NJ550	55 cm	Blended fabric*	5	
NJ750	75 cm	Blended fabric*	5	

\*Support material: 100 % polyamide; Fibres: 70 % polyacrylic, 20 % polyethylene, 10 % polyamide

#### Power MICROFIBRE SLEEVE

Power microfibre sleeve with scrubbing pad for ultimate cleaning power,

with hooks & loops fastener

- 20 % higher water absorption than standard microfibre sleeves

Part No.	Size	Material	Pack
BS250	25 cm	Microfibre*	10
BS350	35 cm	Microfibre*	10
BS450	45 cm	Microfibre*	10
BS550	55 cm	Microfibre*	10

\*Support material: 100 % polyester; Fibres: 100 % polyester

#### MicroStrip MICROFIBRE SLEEVE

\*\*

\*

41

Microfibre sleeve with scrub pad and hooks & loops fastener.

Superior cleaning power

- High water retention - up to 6 times its own weight

- Machine washable up to 500 times

Part No.	Size	Material	Pack	
NS250	25 cm	Microfibre*	10	
NS350	35 cm	Microfibre*	10	
NS450	45 cm	Microfibre*	10	
NS550	55 cm	Microfibre*	10	

\*Support material: 100 % polyamide; Fibres: 100 % polyethylene



#### Monsoon SLEEVE

Blended fabric sleeve with extra long fibres, scrub pad and hooks & loops fastener.

- Excellent cleaning power

- High water retention - Machine washable up to 500 times

Part No.         Size         Material         Pack           MS150         15 cm         Blended fabric*         10           MS250         25 cm         Blended fabric*         10           MS350         35 cm         Blended fabric*         10           MS450         45 cm         Blended fabric*         10	indennie ma	511abie ap 10 000 ii			
MS250         25 cm         Blended fabric*         10           MS350         35 cm         Blended fabric*         10	Part No.	Size	Material	Pack	
MS350 35 cm Blended fabric* 10	MS150	15 cm	Blended fabric*	10	
	MS250	25 cm	Blended fabric*	10	
MS450 45 cm Blended fabric* 10	MS350	35 cm	Blended fabric*	10	
	MS450	45 cm	Blended fabric*	10	

\*Support material: 100 % polyamide; Fibres: 70 % polyacrylic, 20 % polyethylene, 10 % polyamide



#### Synthetic fibre washer sleeve with snap fasteners.

Good cleaning power
 Good value deal

- Machine washable up to 500 times

\*Support material/Fibres: 100% polyester <sup>1</sup> While stocks last

Part No.	Size	Material	Pack	
ON2501	25 cm	Polyester*	10	
ON350	35 cm	Polyester*	10	
ON450	45 cm	Polyester*	10	

\*Support material: 100 % polyethylene; Fibres: 80 % polyacrylic, 20 % polyethylene

10 10

Pack

10

10



WS350 35 cm Blended fabric\* WS450 45 cm Blended fabric\* 10

**Original** SLEEVE

\*Support material: 100 % polyethylene; Fibres: 100 % polyacrylic

Blended fabric standard sleeve with hooks & loops fastener.

Size

25 cm

Size

35 cm

45 cm

- Good cleaning power

Part No.

WS250

Part No.

RS350

RS450



Material

Scrub Pad + Fabric\*

Scrub Pad + Fabric\*

Blended fabric standard sleeve with scrub pad strip and hooks & loops fastener. Time efficient cleaning of heavily soiled surfaces - Machine washable up to 500 times

## TRADITIONAL WINDOW CLEANING **WASHERS**

#### **PRODUCT OVERVIEW WASHERS**



Use the guide below to compare various models of **UNGER** washers and sleeves and identify the right one for your cleaning tasks and budget.

#### **T-BARS**

	BUDGET	HAND	LE	SWIVEL FUNCTION		T-BAR				
		Material	Fits to Locking Cone	Swivel Head	Tension adjustment	Material	Weight	Available Sizes	Function	
ErgoTec <sup>®</sup> NINJA	***	Plastic with rubber insert		~	Screw	Aluminium	Very light	25 – 75 cm	Swivel head	p. 40
ErgoTec®	***	Plastic with rubber insert		-	-	Plastic	Light	25 – 45 cm	Water wells	p. 40
Alu	**	Plastic	J.	-	-	Aluminium	Very light	15 – 55 cm	Low weight	p. 40
Swivel	**	Plastic	J.	~	Knob	Aluminium	Very light	35 + 45 cm	Swivel head	p. 40
UniTec	*	Plastic		-	-	Plastic	Light	25 – 45 cm	Water wells	p. 40

#### SLEEVES BUDGET MATERIAL MICROFIBRE FEATURES AVAILABLE SIZES FASTENING SCRUB PAD Ő 100 % polyamide\* 70 % polyacrylic\*\* 20 % polyethylene\*\* 10 % polyamide\*\* **ErgoTec**<sup>®</sup> $\checkmark$ Ultimate cleaning performance 25 – 75 cm Hooks & Loops 2 × p. 41 \*\*\* NIŇJA 20 % higher water absorption \*\*\* 100 % polyester\*/\*\* $\checkmark$ Power p. 41 than standard microfibre 25 - 55 cm Hooks & Loops 1 × sleeves 100 % polyamide\* 100 % polyethylene\*\* High water retention - up to 6 times its own weight **MicroStrip** \*\*\* $\checkmark$ 25 – 55 cm Hooks & Loops 1 × p. 41 100 % polyamide\* 70 % polyacrylic\*\* 20 % polyethylene\*\* 10 % polyamide\*\* \*\*\* Monsoon High water retention 15 – 45 cm Hooks & Loops 1 × p. 41 100 % polyethylene\* 100 % polyacrylic\*\* Original \*\* 25 – 45 cm Good cleaning power Hooks & Loops 1 × p. 41 100 % polyethylene\* 80 % polyacrylic\*\* 20 % polyethylene\*\* Pad \*\* p. 41 Removes tough dirt 35 + 45 cm Hooks & Loops \_ UniTec $\star$ 25 – 45 cm 100 % polyester\*/\*\* p. 41 \_ Standard cleaning power Snap fasteners

\* Support material \*\* Fibres









# TRADITIONAL WINDOW CLEANING GLASS SCRAPERS

Auality Tools for Smart Cleaning

The **UNGER GLASS SCRAPERS** with carbon or stainless steel reversible blades, featuring 2 sharp edges, are perfect for removing bird droppings, paint, tape, stickers and postconstruction debris from the glass.

The **UNGER SURFACE SCRAPERS** with reversible stainless steel blades, featuring 1 sharp and 1 blunt edge, are great for heavy duty applications. Use the blunt edge to remove stubborn dirt, including cement and stucco.

## UNGER PREMIUM GLASS SCRAPER BLADES STAINLESS STEEL

- Durable dual-sided replacement scraper blades are made from rust resistant 440A grade stainless steel which provides excellent edge retention and break resistance, ensuring that blades stay sharp for a long time.
- Each blade undergoes a precise angle honing process, creating a razor sharp and consistent cutting angle, enhancing the speed and effectiveness of every scraper pass.
- Perfect for removing paint, decals, tape, heavy soil and debris from glass surfaces, as well as construction clean up.
- Compatible with most flat or angled 10 cm (4") or 15 cm (6") scrapers.

#### UNGER CARBON STEEL BLADES

- Made of extra-sharp carbon steel and each blade is 4-way sharpened
- $\bullet$  Two sharp sides for twice the wear on selected scraper blades

\*\*\*

- Both sides lacquered for longer rust protection
- Individual wrapping in wax paper helps to protect blades from rusting and sticking together
- Safely packed and stored in convenient plastic dispenser. Blades remain dry and always available in safe dispenser

# TRADITIONAL WINDOW CLEANING **GLASS SCRAPERS**







Safer and easier blade change push slider release lock to access and change blade



Practical Holster & Scraper Combo



Pack

Made of durable solid plastic, the Holster is built to withstand frequent contact with sharp

Part No.	Compatible	
HT150	Fits 10 cm and 15 cm scraper	



Also fits ErgoTec<sup>®</sup>, ProTrim and Trim scrapers

Part No.

ENB10

ENB15



#### 4 CM, SINGLE SHARP EDGE BLADE SR03K SR20K SR04K SR50K ErgoTec® SAFETY SCRAPER Ergonomic scraper with safety mechanism. Spare blades: SRB10, SRB20, SRBDB. Single sharp edge blade - Made of metal with rubber grip, sturdy and durable - Retractable blade for safety Pack Part No. Size Info SR03K 20 4 cm 20 in a box 50 SR04K 4 cm 50 in a display box SAFETY SCRAPER \*\* Convenient scraper with safety mechanism. Spare blades: SRB10, SRB20, SRBDB. - Single sharp edge blade - Made of metal, sturdy and durable - Retractable blade for safety Part No. Size Info Pack SR20K 4 cm 20 in a box 20 SR50K 50 4 cm 50 in a display box



\*\*\*

SRBDB

#### MINI SCRAPER

Handy plastic scraper with special locking mechanism.
<ul> <li>Extremely handy – fits anywhere!</li> </ul>
<ul> <li>Single edge blade for safety</li> </ul>

Part No.	Size	Info	Pack	
STMIN	4 cm	In a plastic bucket	100	



CARBON STEEL BLADES FOR GLASS SCRAPERS 4 cm

#### For SR03K, SR04K, SR20K, SR50K, STMIN.

- Single edge razor blade with aluminium holder - Easy to replace

- SRBDB includes dispenser with tray for old blades

Part No.	Size	Info	Pack	
SRB10	4 cm	100 loose blades	1 box	
SRB20	4 cm	250 blades (50×5)	1 box	
SRBDB	4 cm	480 blades (48×10 in dispenser)	48 disp.	





#### 10/15 CM, REVERSIBLE SHARP BLADE



Large surface blade with ergonomic bi-component handle.

Spare blades: TR100 (10 cm), TR150 (15 cm).

- Reversible sharp blade - Simple slide blade change, with protective cap for safety

- Fits securely to pole with Locking Cone

		5	
Part No.	Size	Info	Pack
EG100	10 cm	Packed in a display box	10
EG150	15 cm	Packed in a display box	10



#### **PROTRIM 10**

#### The convenient lightweight scraper for every day.

Spare blades: TR100, KL100.

- Convenient and compact

– Retractable blade for safety - Blade replacement and cleaning at push of a button

		J 1 1 1 1 1 1		
Part No.	Size	Info	Pack	
TV100	10	Dealer dia disalary have	10	

TX100 10 cm Packed in display box



#### TRIM 10+1

#### stainless steel glass scraper. In practical plastic box, with 10 blades. Spare blades: TR100. KL100.

Strong stainless steel

- Fits in UNGER squeegee handles

- Folding mechanism for safety

Part No.	Size	Info	Pack
TM100	10 cm	1 case = 1 holder+10 blades	10 cases
TH100	10 cm	1 box = 25 holder in bundles of 5	25



#### CARBON STEEL BLADES FOR GLASS SCRAPERS 10/15 cm \*\*\*

#### Carbon steel blades with reversible sharp edges

For TX100, EG100, EG150, TM100, EN100, EN150.					
Part No.	Size	Info	Pack		
KL100	10 cm	250 loose blades	1 box		
TR100	10 cm	250 blades (10 cases×25 blades)	10 cases		
TR150	15 cm	250 blades (10 cases×25 blades)	10 cases		

250 ×25 10 . . . . . DECIN KL100 TR100/TR150

45

# SURFACE SCRAPERS

#### 10 CM, REVERSIBLE SHARP/BLUNT EDGE BLADE



Ergonomic surface scraper with bi-component handle. Spare blades: RB100. Advanced ergonomic handle design for comfortable use

– Angled, heavy metal head with reversible sharp/blunt edge blade

Part No.	Size	Pack
SH000	10 cm	10



The surface scraper with extra power with bi-component handle. Spare blades: RB100.

- 25 cm long handle for extra reach and power - Reversible sharp/blunt blade
- Blade protection cap for safety

Part No.	Size	Pack	
SH250	10 cm	10	



#### STAINLESS STEEL BLADES FOR SURFACES

#### Reversible sharp/blunt edge stainless steel blade. For SH000, SH250

- Sharp edge for scraping off paint, stickers, etc.
- Blunt side for removing cement and stucco
- Compact dispenser stores new and used blades - Blades easily slide in and out of dispenser
- Part No. Size Info Pack

Tartito.	JIZE	inio	Tack	
RB100	10 cm	1 dispenser = 10 blades	10 disp	

#### → EXPERT TIPS

i

- Check if glass is scratch-resistant and suitable for scraper use. Unsuitable for use on Plexiglas, crown glass, solar glass, safety glass (ESG). Follow the manufacturer's care instructions
- Perform a scrape test in advance on an inconspicuous section
- Before starting work, check the glass for damage and report it, if necessary
- Check the blade for damage and change it, if necessary, or reverse it
- The surface to be scraped should always be wet
- It is best to use a release agent, e.g. "UNGER's Liquid"
- Always scrape in one direction! Never pull the scraper back scratch risk!
- After scraping, check if adhesive or stucco residues are stuck to blade. If necessary, change or reverse blade

ATTENTION! UNGER blades are razor-sharp. Always handle with greatest care.





#### **OVERVIEW OF GLASS SCRAPERS**

-	LASS SCRAPER (2-sided sharp blade)	QUALITY	BLADE MATERIAL	BLADE SIZE	HANDLE	FITS ON SAFETY CONE	SWIVEL FUNCTION	BLADE CHANGE	PROTECTION MECHANISM	<b>,</b> 0
1	ErgoTec <sup>®</sup> NINJA (EN100, EN150)	***	Stainless steel	10 cm 15 cm	2c-material		~	Carriage	Сар	p. 44
1	ErgoTec <sup>®</sup> (EG100, EG150)	***	Carbon steel	10 cm 15 cm	2c-material		-	Carriage	Сар	p. 45
	PROTRIM (TX100)	***	Carbon steel	10 cm	Plastic	-	-	unfold	retractable blade	p. 45
-	ErgoTec <sup>®</sup> SAFETY SCRAPER (SR03K, SR04K)	***	Carbon steel	4 cm	Stainless steel with rubber coating	-	-	push out sideways	retractable blade	p. 45
E	<b>TRIM 10+1</b> (TM100, TH100)	**	Carbon steel	10 cm	Stainless steel	-	-	push out sideways	Folding mechanism	p. 45
<b>A</b> .	SAFETY SCRAPER (SR20K, SR50K)	**	Carbon steel	4 cm	Stainless steel	-	-	push out sideways	retractable blade	p. 45
	MINI SCRAPER (STMIN)	*	Carbon steel	4 cm	Plastic	-	-	push out sideways	Turn blade	p. 45

							COMPAT	IBLE WITH S	CRAPER			PACKAGIN	IG	
GLASS	SCRAPER BLADES (2-sided sharp)	QUALITY	MATERIAL	SIZE         NINJA         ERGOTI           15 cm         ✓         ✓           10 cm         ✓         ✓           15 cm         ✓         ✓           10 cm         ✓         ✓           10 cm         ✓         ✓           10 cm         ✓         ✓           10 cm         ✓         ✓           4 cm         -         -	ERGOTEC	PROTRIM	TRIM 10+1	ERGOTEC SAFETY SCRAPER	MINI SCRAPER	BOX	BOX CONTENTS	PACK	_0	
	PREMIUM GLASS SCRAPER		Stainless	15 cm	~	~	-	-	-	-	Carry case	25 blades	10 carry cases (250 blades)	p. 45
1. 2	BLADES (ENB10, ENB15)	***	steel	10 cm	~	$\checkmark$	~	$\checkmark$	-	-	Carry case	25 blades	10 carry cases (250 blades)	p. 45
				15 cm	$\checkmark$	$\checkmark$	-	-	-	-	Carry case	25 blades	10 carry cases (250 blades)	p. 45
10	GLASS SCRAPER			10 cm	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	-	-	Box	250 blades	ID carry cases (250 blades) ID carry cases (250 blades) ID carry cases (250 blades) ID carry cases (250 blades) es (250 blades) es (250 blades) es I blox (100 blades) of 5 1 box (100 blades) er (250 blades) er I box	p. 45
None of Concession, Name	BLADES (KL100, TR100, TR150,	***	Carbon steel							pack	Blister pack	100 blades		p. 45
200.005	SRB10, SRB20, SRBDB]			4 cm	-	-	-	-	$\checkmark$		Display box	50 boxes of 5 blades each		p. 45
											Display box	48 Dispenser of 10 blades each		p. 45

#### **OVERVIEW OF SURFACE SCRAPERS**

SURFACE SCRAPERS (1-sided sharp blade)	QUALITY	BLADE MATERIAL	BLADE SIZE	HANDLE	FITS ON SAFETY CONE	MORE ANGLE			ROTECTION	Þ
ErgoTec® SCRAPER (SH000)	***	Stainless steel	10 cm	2c-material		~		crew the lider	Сар	p. 46
FrgoTec® LONG HANDLE SCRAPER (SH250)	***	Stainless steel	10 cm	Long handle (25cm) 2c-material	-	~		crew the lider	Сар	p. 46
				СОМРАТ	IBLE WITH SCR	APER		VERPACKU	NG	
SURFACE SCRAPERS BLADES (1-sided sharp)	QUALITY	MATERIAL	SIZE	ERGOTEC	ERGOTEC	FLOOR SCRAPER	вох	BOX	PACK	Þ
				EROOTEC	SCRAPER	LIGHT	BUX	CONTENTS	1 Aut	

\* GOOD Basic version



# TRADITIONAL WINDOW CLEANING TELESCOPIC POLE SYSTEM



#### AVOID WORKING ON LADDERS

- **UNGER** telescopic poles allow you to work safely reaching up to 10 m height, while standing on the ground
- The **UNGER ErgoTec**<sup>®</sup> Locking Cone ensures safer operation, since the tools lock in place and cannot drop
- Most accidents with ladders are caused by wrong handling, and not their damage
- Always check whether cleaning from the ground is a safe option. If not, discuss safe alternatives and corresponding costs with your client
- Always insist on safe working conditions. Do not risk your life just because the client does not accept certain services!
- Always choose the safest way. Ladders should not automatically be first choice simply due to convenience
- Ladders become extremely unsafe under certain conditions: Rain makes the ground slippery; uneven ground or contaminations can result in tilting, or even falling

#### **TELESCOPIC POLE SYSTEM**

#### Safety at the highest level.

**UNGER** telescopic poles have always been the ideal tool for the job when it comes to making professional glass cleaning from the ground easier – and in addition save time and money.

#### OptiLoc

For even more ease of use and handling, **UNGER** has now further optimised its **OptiLoc** telescopic poles. Thanks to the new 2-component twist lock, this new generation of **OptiLoc** telescopic poles offers many advantages.


- 2 or 3 section telescopic pole
- Available in 9 different lengths
- Reach in excess of 9 m (30 ft)
- (max. pole length 9 m (30 ft) + body height)
- Weight and rigidity perfectly balanced
- ErgoTec® Locking Cone included

#### **TelePlus System**

- Extendable modular telescopic pole
- 2 section basic poles
- Extensions 1,25 m (4 ft) or 2,00 m (6,5 ft) simply attach
- Reach in excess of 10 m (32 ft) (max. pole length 10 m (32 ft) + body height)
- ErgoTec<sup>®</sup> Locking Cone included

#### UniTec

- 2 section telescopic pole
- Available in 3 different lengths
- Interior lock, twist right or left for locking
- Reach in excess of 4 m (13 ft) (max. pole length 4 m (13 ft) + body height)



# TRADITIONAL WINDOW CLEANING OPTI LOC



#### ERGONOMIC HANDLE DESIGN

- 2c surface for a comfortable grip
- Ergonomic and secure grip even in wet conditions



#### ANTI-SLIP END CAP

- Safe stand when you set the OptiLoc telescopic pole down
- Protects from damage





#### **ERGO TEC® LOCKING CONE**

- Compatible with all UNGER tools.
- Prevents tools from falling down
- Fast and easy tool change



#### 2-COMPONENT-TWIST LOCK

- Easier to open and close
- Better grip even with wet hands

# TRADITIONAL WINDOW CLEANING TELESCOPIC POLE SYSTEM

#### For distributors: Pack Unit 10. Select 10 poles from this page.

**OPTI LOC** 

#### OptiLoc POLE, 2 SECTIONS

#### With bi-component handles and twist locks, with ErgoTec® Locking Cone.

		5	
Part No.	Size max.	Size min.	
EZ120	1,25 m	0,78 m	
EZ250	2,50 m	1,40 m	
EZ300	3,00 m	1,65 m	
EZ400	4,00 m	2,13 m	

#### OptiLoc POLE, 3 SECTIONS

With bi-component handles and twist locks, with ErgoTec® Locking Cone.

Part No.	Size max.	Size min.	
ED180	1,85 m	0,96 m	
ED370	3,75 m	1,57 m	
ED450	4,50 m	1,82 m	
ED600	6,00 m	2,27 m	
ED750	7,50 m	2,81 m	
ED900	9,00 m	3,37 m	

#### **TELE PLUS**

#### Contraction of the local division of the loc

#### TelePlus POLE, 1,25 m SECTIONS

#### Modular Telescopic pole with ErgoTec® Locking Cone.

Part No.	Size max.	Size min.	Sections	
TZ250	2,50 m	1,66 m	2	
TD370	3,70 m	1,70 m	3	
TV500	5,00 m	1,75 m	4	
TF620	6,20 m	1,78 m	5	

#### TelePlus POLE, 2,00 m SECTIONS

Modular Teles	copic pole with ErgoTee	e® Locking Cone.		
Part No.	Size max.	Size min.	Sections	
TZ400	4,00 m	2,24 m	2	
TD600	6,00 m	2,42 m	3	
TV800	8,00 m	2,26 m	4	
TF100	10,00 m	2,52 m	5	

#### TelePlus3 EXTENSION

Extension for 2 section poles. Ø 29 mm							
Part No.	Size						
T3120	1,25 m						
T3200	2,00 m						

#### TelePlus4 EXTENSION

Extension for 3 section poles. Ø 33 mm							
Part No.	Size						
T4120	1,25 m						
T4200	2,00 m						

#### TelePlus5 EXTENSION

#### Extension for 4 section poles. Ø 37 mm

Part No.	Size
T5120	1,25 m
T5200	2,00 m

#### **UNI TEC**

.

#### **UniTec** POLE, 2 SECTIONS

 Part No.
 Size max.
 Size min.

 0S210
 2,00 m
 1,12 m

 0S250
 3,00 m
 1,64 m

 0S260
 4,00 m
 2,13 m

Contraction of the local division of the loc		
ONE STAGE POLE, 1 SECTIO	Ν	
With ErgoTec® Locking cone. Ø 21 mm		
Part No.	Size	
HH240	60 cm	




#### **OVERVIEW TELESCOPIC POLES**

		EXTENSION		POLE LENGTH									LENGTH		
ALUMINIUM TELESCOPIC POLES	QUALITY		ELE- MENTS	UP T0 2 M	UP TO 3 M	UP TO 4 M	UP TO 5 M	UP TO 6 M	UP TO 7 M	UP TO 8 M	UP TO 9 M	UP TO 10 M	ADJUST- MENT	HANDLE	CONE
• • • • • • • • •	***	Telescopic	2	EZ120	EZ250 EZ300	EZ400	EZ500	EZ600	EZ600				Twist lock,	2c plastic with	
OptiLoc	***	retescopic	3	ED180		ED370	ED450	ED600	ED600	ED750	ED900		2c plastic	Anti-slip end cap	
			2		TZ250	+ T3120	+ T3120 + T4120		+ T3120 + T4120 + T5120					Plastic	
			3			TD370	+ T4120		+ T4120 + T5120						
	**	Telescopic	2			TZ400		+ T3200		+ T3200 + T4200		+ T3200 + T4200 + T5200	Twist lock,		
TelePlus		+ modular	4				TV500		+ T5120				plastic		14
			3					TD600		+ T4200		+ T4200 + T5200			
			5						TF620						
			4							TV800		+ T5200			
			5									TF100			
UniTec	*	Telescopic	2	05210	<b>0</b> S250	OS260							Inner closure	Plastic	Ē

#### **USE THE HIGH QUALITY** nLITE® CARBON COMPOSITE TELESCOPIC POLE

• Easy to use clamps for length adjustment • Ultra-lightweight and extremely durable • Comfortable, ergonomic work, innovative, unique pole shape unique pole shape, optimally adapted to the hand • 2- or 4 section pole, available in the following lengths 1,60 m, 3,20 m und 6,00 m • High quality mix of carbon and glass fibres • Compatible with classic glass cleaning tools with the cone adapter NLCLA Part No. Product Size NLCLA nLITE cone adapter with cone 15 cm NGS15 nLITE angle adapter CC16T 1,60 m nLITE telescopic pole, 2 sections CC32T nLITE telescopic pole, 2 sections 3,20 m CC60T nLITE telescopic pole, 4 sections 6,00 m

nLITE Telescopic poles p. 11, more angle adapters p. 10



1

\*\*



\*\*\* BEST Bestseller

**PREMIUM** Top of the range product

# **ADAPTERS & MAINTENANCE**



#### ANGLE JOINTS

Freely adjustable angle allows access to hard-to-reach places. - Available in sturdy zinc version or lightweight plastic version - Fits to telescopic pole

Part No.	Version	Pack
CJA00	Zinc	5
CJN00	Plastic	5



THREAD ADAPTER 1/2"

With 1/2" thread. Fits conventional brooms. - Adapter is inserted into pole and locks in place via stand spring

Part No.	Pack
BE000	5



#### ErgoTec® LOCKING CONE

Securely locks tools on the telescopic pole. Incl. ACME thread

– Compatible with all UNGER systems	
– Quick and easy tool change via release butto	n

Part No. Pack

NCAN0	5	



For attaching or screwing on tools. Incl. ACME thread Cone is inserted into pole and locks in place via stand spring

Part No. Pack

NCA00



#### THREAD ADAPTER FOR ALU-POLES

Anodized aluminium adapter for fitting the Pad Holder to aluminium poles.

- Fits into any UNGER aluminium pole with 21mm diameter - just click in

- Enables connection between aluminium poles and MultiLink Goosenecks, Extensions and Brushes

5

Part No.	Pack
AFAET	5



- Enables safe operation from the ground with secure tool handle lock - Adjustable angle that locks securely via bolt with nut - Fits to telescopic pole

Part No.

PBR00

Pack 5



For changing round light bulbs in high access areas without ladders. Rubber coated spring steel fingers.

- Enables safer and faster bulb change from the ground Fits to telesconic nole

- This to telescopic pole	
Part No.	Pack
BS010	5



#### FIXI-SYSTEM

Innovative cleaning system, ideal for cleaning large and high surfaces such as boats and vehicles.

- Firmly retains a sponge or cloth by tightening the locking collar

 Fits on telescopic pole
 Stiff bristle brush effectively re movos stubborn dirt

- Still blistle blusi	renectively removes stubble	Jinuni	
Part No.	Version	Pack	
FIXI0	Clamp	5	
HBR00	Brush	5	
SP010	Sponge	10	

52

# TRADITIONAL WINDOW CLEANING GLASS CLOTHS



#### WINDOW MICROFIBRE CLOTH SYSTEM



#### **CLEANING WITH MICROFIBRE**

Microfibre is highly efficient in removing dirt, oils, embedded soils and bacteria from surfaces without chemicals due to its slightly abrasive fibre texture. When used dry the statically charged fibre attracts and holds dust in place, unlike cotton or paper cloths.

Highly absorbent microfibre requires less water and chemicals for effective cleaning, allowing a reduction in water and harsh chemical consumption.

Microfibre is hard wearing and reusable generating less waste for landfill disposal than cotton or paper disposable cloths.



#### ErgoTec® NINJA MICROWIPE

Best in Class premium lint free microfibre cloth.

- Fabric weight: 400 g/m<sup>2</sup>
- Double sided coarse for cleaning and smooth for polishing
- With 4 scrubbing corners for removing stubborn dirt
- Pocket corners for hanging the cloth on the pole for detailing at height
   Reinforced overlock stitch along the edges ensures shape retention
- Machine washable up to 500 times

Part No.	Size	Material	Pack	
MN40H	40 × 40 cm	Microfibre*	5	
MN55H	55 × 55 cm	Microfibre*	5	
MN60H	80 × 60 cm	Microfibre*	5	



...

#### Lint free microfibre cloth – Fabric weight: 300 g/m<sup>2</sup>

- Super soft, easy to use low friction material
- Overlock stitch along the edges ensures shape retention
- Machine washable up to 200 times

Part No.	Size	Material	Pack	
MF40E	40 × 40 cm	Microfibre*	10	
MF60E	60 × 80 cm	Microfibre*	10	



The "Original" lint free microfibre cloth.

#### - Fabric weight: 350 g/m<sup>2</sup>

- Double sided coarse for cleaning and smooth for polishing
- Overlock stitch along the edges ensures shape retention

- Machine washable up to 500 times

Part No.	Size	Material	Pack	
MF40L	40 × 40 cm	Microfibre*	10	
MF60L	60 × 80 cm	Microfibre*	10	





MICROWIPE

#### For polishing and spot cleaning of glass surfaces.

Robust and durable

Generous size for large surface. Washed scrim cloth size may vary slightly due to shrinking.
 Versatile best seller

Part No.	Size	Material	Pack
SCRM1	92 × 92 cm	100 % Linen	10

# TRADITIONAL WINDOW CLEANING **BUCKETS, BELTS, POUCHES**





- Bucket for glass cleaning.
- Compact, rectangular design for easier transportation
   Durable and ergonomic handle fits comfortably in the hand. Vertical handle lock position
- Includes storage options for washers and window squeegees up to 35 cm wide
- Two spouts, measuring scale



#### BUCKET ON A BELT

Durable plastic holder for squeegee, washer,	scraper.
<ul> <li>Conveniently holds all important tools</li> </ul>	

- Ideal for use on ladders, indoors or in narrow spaces

– BBUID with Protector insert for optimum squeegee compatibility				
Part No.	Can hold the following tools	Pack		
BB010	NINJA: 1 washer, 2 squeegees, 1 scraper	5		
BB020	Classic: 1 squeegee, 1 washer, 1 scraper	5		

BB020



#### ErgoTec® BELT

Solid belt for carrying tool holders. 4 eyes, padding, quick release.

Part No.	Size	Material	Pack
BSTBT	80 – 130 cm	Nylon	1





3 compartments. Dry and damp cloths can be stored separately. Front pocket with flap and hooks & loops fastener.

Part No.	Size	Material	Pack
BSPOU	30 × 37 cm	Nylon	1



CANVAS APRON	

- Made of solid nylon with 2 large compartments for cloths, scraper, etc.
- Keeps essential tools protected

- Great for working at height

- Includes adjustable belt





#### HENRY'S DOUBLEHOLSTER

Pack

5

- Leather tool holder, two compartments. For fastening to belt.
- Convenient for holding squeegees and washers

- Extremely solid quality leather

- Fits on most belts



THE BELT

#### Solid nylon belt for attaching bucket and other tools on a belt.

- Convenient loops for tools (squeegee, etc.)

– Clip lock for quick fastening – Adjustable length

Aujustubie i	cilgui			
Part No.	Size	Material	Pack	
UB000	115 cm	Polypropylene, nylon	5	

# TRADITIONAL WINDOW CLEANING SOAP, GLOVES





#### NINJA LIQUID

- Window cleaning soap, liquid. Power formula with extended foam life.
- High yield (concentrate 1:100)
- Power formula with ultimate cleaning power for streak-free results

- pri value 5,1 ili aqueous s	solution		
Part No.	Content	Pack	
FR10S	11	12	



#### Window cleaning soap, liquid. Concentrate. Mixing ratio 1:100.

- Economic and eco-friendly

- Excellent cleaning power

<ul> <li>Simply add to water</li> </ul>	, pH value 6,9 in aqueous solution
---	------------------------------------

Part No.	Content	Pack
FR100	1 l	12
FR500	5 l	2

UNGER's LIQUID



#### **UNGER's** GEL

Window cleaning soap for direct application onto washer.

- Economic, covers large areas Excellent cleaning power

- Apply directly onto washer, pH value 6,9 in aqueous solution

Part No.	Content	Pack	
FG050	0,5 l	10	



#### RUB OUT

Professional glass cleaner. Compact bottle with easy dispense cap.

- Removes hard water stains, rust, mineral deposits, limescale and soap residue Tough on stains, gentle on glass, pH value: 5

Attention: Some surfaces are easily scratched. Always test Rub Out prior to use.

Part No.	Content	Pack
RUB20	0,5 l	12

#### ErgoTec® NEOPRENE GLOVES

Gloves for window cleaning, made of 3 mm thick textile neoprene.

- Tear resistant stitching and glue seal along seams for durability - Knuckle inserts and flexible curved shape for ultra comfort
- Non slip palm with screened-on silicone for secure grip
- Adjustable hooks & loops wrist strap

Part No.	Size	Hand circumference	Material	Pack
GL02S	7	18 – 19 cm	Neoprene, textile	5
GL02L	8	20 – 21 cm	Neoprene, textile	5
GL02X	9	22 – 23 cm	Neoprene, textile	5
GL02Z	10	24 – 25 cm	Neoprene, textile	5



Pack

#### **NEOPRENE GLOVES**

Gloves for window cleaning. Rubber Neoprene.

- Tear resistant stitching and glue seal along seams for durability

- Soft and comfortable on inside - Non slip palm for secure grip

- Adjustable hooks & loops wrist strap

,		
Part No.	Size	Hand circumference

GLOV1	7	18 – 19 cm	Neoprene, rubberized	10
GLOV2	8	20 – 21 cm	Neoprene, rubberized	10
GLOV3	9	22 – 23 cm	Neoprene, rubberized	10
GLOV4	10	24 – 25 cm	Neoprene, rubberized	10

Material





#### POLE GLOVES

#### Premium quality gloves, extra robust for pole work.

Ergonomic design for full hand movement and pole control
 Non-slip textured reinforcement panels on palm and fingers

- Teflon coated fabric for superior water resistance, with triple seams

- Adjustable hooks & loops wrist strap with hook and loop for secure fitting

- Webbing loop for added ease while putting glove on

Part No.	Size	Hand circumference	Material	Pack
GL0C1	S (8)	19 – 21 cm	Blended fabric*	5
GLOC3	XL (10)	23 – 24 cm	Blended fabric*	5
GLOC4	XXL (11)	24 – 26 cm	Blended fabric*	5

#### i **IDENTIFY YOUR GLOVE SIZE:**

Measure the circumference of your hand at the widest point, right under the knuckles, excluding thumb.

Check our size guide charts on the right to identify your glove size.

#### ATTENTION: Neoprene gloves

run up to one size smaller. Our recommendation: Order one size larger than you usually wear. The tables provide guidelines for your glove size. We always recommend trying them on before buying!

\* Palm: 50 % polyester, 50 % polethylene; Back of the hand: 50 % nylon, 50 % polythylene

# TRADITIONAL WINDOW CLEANING WINDOW CLEANING KITS

The new glass cleaning kits top equipment for every need





- High-quality, attractive packaging
- Including detailed instructions for professional window cleaning
- All products in the kit are fully assembled
- Comprehensive sales support available for online sales.
- Three quality levels and equipment the right one for every need.

The attractive kit scores points on the shelf and in online sales



ERGOTEC

Professional glass cleaning kits with high-quality ErgoTec<sup>®</sup> products for professional glass and building cleaners ergonomic and efficient.




NEW: AK013 and AK015 with



Illustration similar

		new bucket QB12B		
ErgoTec® KITS	STARTER KIT	ADVANCED KIT	COMPLETE KIT	
Content:	<b>2</b> in1	<b>3</b> in 1	<b>6</b> in1	
ES35G ErgoTec® Squeegee 35 cm with green rubber	$\checkmark$	~	~	
EH350 ErgoTec® T-Bar 35 cm with Power sleeve (BS350)	~	~	~	
DB12B NEW: Bucket 12 L		~	~	
R100 UNGER Liquid 1 L soap			~	
R03K ErgoTec® Safety Scraper 4 cm			~	
MF40L MicroWipe Microfibre Cloth 40 × 40 cm			~	
Part No.	AK011A	AK013	AK015	
Pack	5	1	1	

# **TRADITIONAL WINDOW CLEANING** WINDOW CLEANING KITS



glass and window cleaner.

**ADVANCED KIT** 

high-performance tools for versatile

Top performance for the professional

V GLEANING	



streak-free window cleaning.

PRO WINDOW CLEANING KITS	STARTER KIT	ADVANCED KIT
Part No. /Product	<b>2</b> in 1	<b>4</b> in 1
SE350 S-Squeegee 35 cm	~	$\checkmark$
0N350 UniTec Washer 35 cm, with UniTec sleeve (0E350)	~	~
SR20K Safety Scraper 4 cm		~
MF40E MicroWipe Lite Microfibre Cloth 40x40 cm		~
QB120 Bucket 18 l		
Part No.	AKG10	AKG14
Pack	10	10



PRO WINDO

Illustration similar





Illustration similar



**STARTER KIT** 





**COMPLETE KIT** 

 $\star\star$ 



ErgoTec® NINJA KITS

# TRADITIONAL WINDOW CLEANING WINDOW CLEANING KITS

#### ErgoTec® KIT

#### Top of the range complete glass cleaning kit.

Contains comprehensive selection of ErgoTec<sup>®</sup> tools for professional glass cleaning.The extensive products are completely housed in a sturdy nylon carrier bag.



MF40L	(3 ×) MicroWipe Microfibre Cloth, 40 × 40 cm
ETG00	ErgoTec® Squeegee Handle
NS350	StripWasher® Micro Sleeve, 35 cm
EH350	ErgoTec® T-bar, 35 cm
SH000	ErgoTec® Scraper, 10 cm
PCLIP	Plastic Clips
RR920	Soft Rubber, 92 cm
SR03K	ErgoTec® Safety Scraper
NE250	S-Channel with Soft Rubber, 25 cm
NE350	S-Channel with Soft Rubber, 35 cm
NE450	S-Channel with Soft Rubber, 45 cm
EZ250	OptiLoc Telescopic pole, 2 sections, 2,50 m
	1 × Unger Liquid Sample
Part No.	ETSET
Pack	1

### TRANSET

#### **Glass cleaning kit**

Contains a basic set of tools for professional glass cleaning for beginners. The products are stored in a sturdy nylon carrier bag.



TRANS	ET
PR000	Pro-Squeegee Handle
NE250	S-Channel with Soft Rubber, 25 cm
NE350	S-Channel with Soft Rubber, 35 cm
NE450	S-Channel with Soft Rubber, 45 cm
RR920	Soft Rubber, 92 cm
WC350	StripWasher® Original Strip Pac, 35 cm
EZ250	OptiLoc Telescopic Pole, 2 sections, 2,50 m
FIXI0	FIXI Clamp
HBR00	FIXI Brush
SP010	FIXI Sponge
SR20K	Safety Scraper
TX100	ProTRIM10 Scraper
Part No.	TRS00
Pack	1

## **CONSERVATORY KITS**

#### Starter Kit

For cleaning with a telescopic pole. Contains ideal basic equipment for glass cleaning and conservatory cleaning with a telescopic pole.

#### **Complete Kit**

Includes tools to effortlessly clean conservatories, patio roofs, glass extensions and other areas that are difficult to access.



CONSE	RVATORY KITS	STARTER KIT	COMPLETE KIT
ED450	OptiLoc telescopic pole, 3 sections, 4,50 m		$\checkmark$
EZ120	OptiLoc telescopic pole, 2 sections, 1,25 m	$\checkmark$	
VP350	VisaVersa® 35 cm	~	~
MF40L	MicroWipe microfibre cloth 40 × 40 cm	~	$\checkmark$
MF40E	MicroWipe microfibre cloth Lite 40 × 40 cm	1	~
FG050	UNGER's Gel window cleaning soap 0,5 l		~
COBW0	StarDuster® Cobweb 20 cm		~
Part No.		AK131	AK130
Pack		1	1



\*\*

\*\*\*

\*\*





## The most efficient indoor cleaning tool ever!

Recent research indicates that when cleaning indoor

windows, cleaning professionals face 2 key challenges – efficiency and safety. Current tools lead to time consuming issues, like re-arranging of furniture and reaching high or unusually positioned windows\*. Current solutions to these issues lead to more wasted time and the risks associated with the use of ladders. Moreover, for the least experienced need for intensive staff training create additional problems.

Introducing the revolutionary **UNGER Stingray**, the most efficient indoor cleaning tool ever. It cleans windows up to 25 % faster and uses up to 39 % less chemical than traditional methods.\*\*

The **UNGER Stingray** system stands for excellent results even without professional window cleaning experience. Its highly intuitive design requires minimal operator training and it is suitable for most washable surfaces!

#### Increased productivity, greater cost efficiency and sustainability because:

- 25% faster than traditional methods\*\*
- 39 % less liquid consumption\*\*
- Numerous ergonomic benefits improve workers' comfort and safety – less downtime and health risks!
- Perfect for daytime cleaning: no drips and no runs = no mess and health risks!

\*Source: Market Research – Professional Window Cleaners. Germany/UK, 2015, SR Strategy Routes \*\*compared to traditional spray and cloth cleaning [Source: "Interior Glass Cleaning", 16.07.15, Sabine R. Mück, Hygiene Consult Mück]



# INDOOR WINDOW CLEANING STINGRAY SYSTEM

#### ► FASTER

25 % faster than traditional methods\*\*

- One step "Apply and Clean" Technology
- Microfibre **TriPad** for simultaneous cleaning of windows & frames
- Enclosed spray nozzle design prevents overspraying, eliminating drips, streaks and the rework associated with wet window sills
- 15 % larger pad size saves time via reduced frequency of pad change (compared to traditional pads e.g. **UNGER** PHL20)





#### TOTAL FLEXIBILITY Mastering every challenge with a single tool

- Unique triangular **TriPad** shape makes it easy to clean corners and other hard to reach areas
- Easy-Click-Pole technology simply add on another pole extension to reach heights of up to 5 m!





#### ERGONOMIC AND SAFE Comfortable and safe working up to 5 m

- Enclosed spray nozzle prevents inhalation of cleaning liquid
- Triangular pole shape facilitates enhanced grip for perfect control
- Stingray's weight distribution is towards the cleaning surface, so it is easy to use and minimizes back strain
- Battery powered sprayer helps to reduce operator fatigue



- INCREDIBLE EASE-OF-USE Professional results with minimal training
  - Stingray: Ready-to-use, easily replaceable pouches, pre-filled with professional glass cleaner
  - Stingray OS: Removable tank. Can be quickly and flexibly filled with all alcohol-based glass and surface cleaners and with pure water
  - Spray activation button on each **Easy-Click-Pole** as well as on the handheld unit press & play!
  - QuikPad Fast change + prevents cross-contamination

# INDOOR WINDOW CLEANING **STINGRAY SYSTEM**



## Stingray OS -More flexible than ever

#### Stingray OS with removable tank.

Can be filled with alcohol-based glass and surface cleaners and with pure water







#### Stingray OS TANK Removable 150 ml tank.

**REMOVABLE TANK** 

Double intake manifold for perfect function at every angle

Can be filled with alcohol-based glass and surface cleaners and with pure water Large opening for easy filling: ready to use in seconds

150 ml tank can cover up to 150 m<sup>2</sup>

- Drip-proof due to integrated leakage protection

Part No.	Size	Pack
SRBT1	150 ml	1



#### Stingray INDOOR CLEANING KIT 450 OS

Stingray OS with one short + three long Easy-Click-Poles

Contents: 1× Handheld unit (includes 2 × Alkaline AA batteries) 3 × SREXL Easy-Click-Poles-long, 1 × SREXS Easy-Click-Pole-short 2 × SRPD2 Deep Cleaning Microfibre TriPads\*, 1 × SRBAG Bag

Part No.	Size	Pack
SRKOH	up to 4,37 m length (extended)	1



#### Stingray OS with one short Easy-Click-Pole

Contents: 1× Handheld unit (includes 2 × Alkaline AA batteries) 1 × SREXS Easy-Click-Pole-short 2 × SRPD2 Deep Cleaning Microfibre TriPads\*

Part No.			Size	
	occurring	meronore	iiii a	

SRK02



Pack

1



#### Stingray INDOOR CLEANING KIT 330 OS

#### Stingray OS with two long and one short Easy-Click-Poles

Contents: 1 × Handheld unit (includes 2 × Alkaline AA batteries) 2 × SREXL Easy-Click-Poles-long, 1 × SREXS Easy-Click-Pole-short

2 × SRPD2 Deep Cleaning Microfibre TriPads\*

	5		
Part No.		Size	Pack

SRK03	up to 3,27 m length (extended)	1
SRK03		1

# INDOOR WINDOW CLEANING STINGRAY SYSTEM

#### Stingray EASY-CLICK-POLES

#### Extends the Stingray unit by 1,24 m

- Reinforced for a working height of up to 5 m.
- Triangular shape for enhanced grip
   Light, rigid aluminium, features Easy-Click mechanism and spray activation button

Part No.	Size	Pack	
SREXS	0,63 m	1	
SREXL	1,24 m	1	



#### Professional Glass Cleaner

- Excellent cleaning power for glass, mirrors, and other waterproof surfaces
- Easy removal of fingerprints, grease, and other dirt
- Fast and streak-free drying

Part No.	Content	Pack
SRL03	0,5 l	10





#### Stingray GLASS CLEANER

For Stingray

#### Professional Glass Cleaner powered by 3M Scotchgard™

- Easy gliding, quick drying high efficiency
- Cleaning power up to 150 m<sup>2</sup> [at low to medium polluted surfaces]
   Cleans and protects glass and other silica-based surfaces such as uncoated granite,
- ceramic and procelain
- Also cleans but may not protect other surfaces such as stainless steel, chrome, aluminum, plastic, acrylic glass, etc.
- 24 pouches (150 ml) in a box (= minimum order quantity)

Part No.	Content	Pack
SRL01	150 ml	24



#### Stingray BAG

#### Lightweight nylon bag for storage and transportation of your complete Stingray System. – Zip fastening allows bag to open flat

- Multiple fasteners and pockets for additional tools

Part No.	Size	Pack
SRBAG	130 × 33 × 5 cm	1



#### **Microfibre Cleaning Pads**

- Superb cleaning power thanks to premium microfibre
   Including colour coding stripes
- Elastic bands for secure fit and easy assembly
- 5 pads in a box (= minimum order quantity)
- Size: 25 × 25 × 25 × 2,50 cm, machine washable up to 300 times
- Part No. Material Pack

Tartino.	Materiat	Tack	
SRPD2	90 % polyester, 10 % polyamide	5	



#### Stingray QUIKPADS

#### Hygienically clean without having to launder

- Quickly and safely removes fingerprints, grease, etc.
- Optimal for preventing cross contamination
- Coverage per QuikPad: 15 m<sup>2</sup>
- 3-layer construction: cleaning layer, absorbent core, and fastening layer
- Adapterplate (SRADK) for subsequent conversion of Stingray hand tools
   Quick and easy pad change

	, i S		
Part No.	Version	Material	Pack
SRADK	1 × Adapter, 25 × QuikPads	54 % polyester, 46 % viscose	1
SRPD3	Pack of 25	54 % polyester, 46 % viscose	1
SRPD4	Pack of 100	54 % polyester, 46 % viscose	1



Stingray QUIK PAD KIT 160 OS

#### Stingray with one long Easy-Click-Pole

Contents: 1× Handheld unit (includes 2 × Alkaline AA batteries) 1× SREXL Easy-Click-Pole-long 1× SRADK Adapter with 25 QuikPads

Part No.	Size	Pack
SRKOD	up to 1,66 m length (extended)	1



## Disinfection of surfaces with Stingray OS

With the **Stingray OS UNGER** offers a solution for the in-between disinfection of surfaces. The integrated tank is ideal for using disinfectants on larger smooth and water-resistant surfaces, e.g. tables.

#### **APPLICATION RECOMMENDATION:**

- Moisten the **QuikPad** in a circular movement for 20 seconds
- Movement across the surface with the activation button pressed continuously
- Make sure that the surface is sufficiently wetted with the disinfectant
- Replace the **QuikPad** at regular intervals to avoid the spread of germs
- Important: Follow the instructions for use of the disinfectant and adhere to the product times/exposure times and quantities
- Fold the **QuikPad** when changing: pull an overlapping corner inwards and then pull off the **QuikPad** so that the side you are using is not touched





# **INDOOR WINDOW CLEANING CLEANING SYSTEM**







Extra smooth, easy glide microfibre pad for regular cleaning.

Removes dust, fingerprints, grease and other light dirt from glass
 Strong hooks & loops backing for attaching to Pad Holders PHH20 and PHD20

ottong noono	a toopo bacining	for allacing to r da riole		
Part No.	Size	Material	Pack	

Faitino.	JIZE	Materiat	Fack	
PHL20	27 cm	70 % polyester, 30 % polyamide	5	





Microfibre polish pad for regular cleaning. – Removes dust, fingerprints, grease and other light dirt from glass and mirrors - Strong hooks & loops backing for attaching to Pad Holder PHH20 & PHD20

Part No.	Size	Material	Pack	
PHP20	27 cm	70 % polyester, 30 % polyamide	5	



#### MICROFIBRE WASH PAD

While stocks last

#### Microfibre wash pad for periodic washing and heavy soil.

15 mm long, thick fibres easily remove tough dirt
 Strong hooks & loops backing for attaching to Pad Holder PHH20 & PHD20

Part No.	Size	Material	Pack	
PHW20	29 cm	100 % polyethylene	5	



#### Abrasive scrub pad for removing tough dirt.

- Removes stubborn dirt, ideal for outdoor cleaning Reliably sticks to the backing of Pad Holder PHH20 & PHD20

	•			
Part No.	Size	Material	Pack	
0PS20	25 cm	100 % polyester	10	

START	ER SET			
		6	Har	
INDOOR	CLEANING	STARTER SE	T	
Content: PHL20 (5x) PHH20 AFAET	Pad Holder 24	aning Pad 27 cm cm r for Alu-Poles		
Part No.		Pac	k	
PFK20		1		
0	and to	0		
			PAD HOLDI	ER (HANDHELD)
– Hooks & la	oops backing for o enable perfect	for indoor cleani attaching the pade pressure applicat		precise cleaning
Part No.		Size	Pack	
				PAD HOLDER
Aluminium	swivel head hold	er for indoor clea	ning pads.	
– Hooks & lo – Swivel fun	oops backing for ction allows acce	attaching the pade ss to hard to reac poles with thread	s h places	
Part No.		Size	Pack	
PHH20		24 cm	5	
	2			
THREAD	ADAPTER F	OR ALU-PO	LES	
– Fits into ar	ny UNGER alumin	nium pole with 21	<b>d Holder to aluminiu</b> nm diameter – just c s and MultiLink Goos	
Part No.		Pac	k	
AFAET		5		
		SPRAYER	ON A BELT	
24				



Fits to the belt for optimum weight support. Flexible hose allows upside down spraying
 1 l bottle included

- Compatible with standard bottles
- Includes colour coding labels

Part No.	Content	Pack	
SOABG	11	5	



## NiftyNabber<sup>®</sup> – Grabber and Bagger System

Perfect for eco-friendly waste removal, indoor and outdoors, in industrial or domestic environment.

Durable, ergonomic and reliable **UNGER** grabbers are also perfect for easy reach and bend-free pick up of many daily objects.



D

# LITTER PICKING & REACHING AIDS

#### Nifty Nabber® Trigger Grip

Durable litter picker with a strong internal metal bar, a 360° fully rotating head and a highly responsive trigger grip handle. Available in 4 lengths.



#### ROTATING HEAD

- Access narrow areas with 360° rotating head.
- Locks securely every 90°.

#### **ROBUST METAL BAR INSIDE**

- For extra durability and grab power.
- Will not stretch or snap, like string mechanism on other grabbers.
- Durable and rust-resistant. Lightweight, designed to decrease fatigue.

#### Nifty Nabber® Pro

A heavy duty litter picker with a strong internal metal bar, poweful claws and robust steel shaft. Available in 4 lengths, including 2,38 m long reach version!

**ERGONOMIC HANDLE** 

• Comfortable pressure handle -

without tiring your hand.

creates high pressure to hold dirt

• The handle design keeps your hand

and arm in an optimum position to

pick up objects from the floor.

#### STEEL CLAWS

- Molded rubber overlay for an extrasecure grip.
- Powerful hold of small or oddly shaped objects – broken glass, cigarettes or coins.
- Opens up to 15 cm wide.

#### TRIGGER GRIP HANDLE

- Responsive mechanism for greater comfort.
- Made with glass-reinforced plastic for increased durability.

#### RUBBER CLAWS WITH MAGNETIC TIP

- Reliable grip even with most difficult shapes.
- Opens up to 10 cm wide and holds items up to 2 kg.
- Hold items with the claw's magnetic tip like coins and cans!

#### NiftyNabber® TRIGGER GRIP

Part No.	Size	Pack	
NT060	63 cm	5	
NT080	83 cm	5	
NT090	93 cm	5	
NT100	102 cm	5	



#### RUGGED DESIGN

- Shaft made from durable steel with rust resistant coating for dependable use over long time.
- Strong enough for heavy-duty work, light enough to protect from back and arm strain. Holds items up to 4,5 kg.
- Overall steel construction wears well under the rigours of every day use.

NiftyNabber <sup>®</sup> PR0			
Part No.	Size	Pack	
NN400	52 cm	5	
NN900	97 cm	10	
NN140	130 cm	5	
NN960	238 cm	6	





#### Paper Picker

A lightweight tool with a strong metal pin for removing debris such as paper and cans.

#### **ERGONOMIC DESIGN**

- No bending or back strain.
- Handle design positions arm and hand in the optimal position for reaching debris.





#### STRONG METAL PIN

- Long enough for picking up several pieces of debris at once.
- Will punch through and hold even thick, aluminium cans.

#### Nifty Nabber® Bagger

A durable and weatherproof waste carrier for 180 l bags that is a great multi-tasking alternative to plastic bags and the perfect companion to UNGER's super tough litter pickers.

#### ERGONOMIC

- Allows to avoid unnecessary bending or lifting heavy bags.
- Always open for easy and safe access without touching litter.
- Made of robust material for reduced injury risk from sharp waste.





#### ROBUST

- Can be pulled across the floor, asphalt or ground due to solid plastic bottom and carry loops.
- Protects plastic bags from splitting.
- Carries up to 29.5 kg.

#### PRACTICAL

- Allows to avoid unnecessary bending or lifting heavy bags.
- Always open for easy and safe access without touching litter.
- Made of robust material for reduced injury risk from sharp waste.

PAPER PIC	KER		
Part No.	Size	Pack	
PPPP0	100 cm	10	
PINP0	Replacement Pin Plugs for Picker	10	







# **MAINTENANCE CLEANING**





## Professional Tools for daily and project cleaning tasks

#### Efficient, Ergonomic, Hygienic




Bathroom

# FLOOR CLEANING erGO! clean







LATEST MICROFIBER TECHNOLOGY: MAXIMUM GLIDING ABILITY AND GREAT DIRT ABSORPTION REPLACEABLE TANK WITH COLOR CODING AND FILLING LEVEL DISPLAY



BLOCKAGE-FREE PULSE JET SYSTEM FOR PRECISE DOSING

# Feel the intuitive motion

#### Discover the intuitive S-shape motion with minimal effort: the ultrafast floor cleaning system

Dirt and contamination can quickly be caused by minor mishaps in day-to-day business life. A drink spilt on the floor does not create a good impression and, in the worst-case scenario, if someone stands in it, it may well be spread elsewhere. Precious time passes before the cleaning staff can get their cleaning tools together and be on-site. But the **UNGER erGO! clean** – being fast, ergonomic and professional – will put an end to this.

#### READY-TO-GO AT ANY TIME AND ANYWHERE

- Ready-to-use immediately
- No lengthy preparation, such as filling buckets, required
- Cleaning chemicals can be replaced in a matter of seconds.

#### INCREASED PRODUCTIVITY WITH FATIGUE-FREE WORK

- Reduces the extreme strain placed upon employees and prevents work-related musculoskeletal diseases
- No lifting and carrying of heavy buckets
- Significantly less effort required for use

#### A TOP-QUALITY PROFESSIONAL TOOL

- First-class materials guaranteeing a long service life
- Robust tool for long-term use
- Sophisticated product design for intuitive handling

















# FLOOR CLEANING & FLOOR FINISHING erGO! clean & erGO!wax






# The intuitive S-motion now in series!

#### Performance without limits!

After the great success of the **erGO! clean** with integrated trigger and detachable tank, our back and joint friendly innovation is now compatible with all **UNGER** floor cleaning systems: The S-Telescopic pole.





# More efficient than ever before!

#### Ultra-fast & ergonomic with just one person

Professionally coat resiliant floor coverings such as linoleum and PVC. Work with the **UNGER erGO! wax** floor coating system continuously and without any interruption thanks to the backpack with 5-liter capacity. Achieve perfect working results with an even application of the cleaning agent by the blockage-free pulse spray system – which also guarantees precise dosing.

The telescopic handle of the **UNGER erGO! wax** floor coating system can be precisely adjusted to the height of the operator which protects his/her back during cleaning work. The rotateable grip ensures an easy and stress reducing working movement. Available in S-curved and straight version.



Backpack, incl. Replacement Pouch, Hose and Pulse-Jet-Unit

## INCREASED PRODUCTIVITY THANKS TO CONTINUOUS WORK WITHOUT INTERRUPTION

- Finishing work with just one person
- No lifting or carrying heavy buckets
- Protects employees against high levels of strain and job-related diseases of the musculoskeletal system

#### A PROFESSIONAL TOOL GUARANTEEING TOP WORKING RESULTS

• Lint free and non-soaking sleeve for easy and perfect distribution of the finishing fluid

# FLOOR CLEANING & FINISHING erGO! clean & erGO! wax





S-Telescopic pole without trigger FAPLW

Pocket mop holder 40 cm FAPMH

Flat mop 40 cm FAPML

erGO! wax KITS

Pocket mop 40 cm FAPMM Mop Pad Holder 40 cm FAVMH Cleaning Pad 40 cm FAVMC SmartColor Combo 151, grey COMSG Product/PART. NO



1

./

~

 $\checkmark$ 









Floor-Finishing-Kit Floor-Finishing-Kit **Finishing Pad** WonderWaxer Product/PART. NO FAKT6 FAKT5 S-Telescopic Handle FAEPL ~  $\checkmark$ Telescopic Handle FASPL Pocket Mop Holder 40 cm FAPMH Mop Pad Holder & Finishing Pad 40 cm FAVMH / FAVMF ✓/3× WonderWaxer Holder & Sleeve 40 cm QS020 / QS010 ✓/3× Tank 1.000 ml FABTL  $\checkmark$ ~ Backpack 5 l FABAP  $\checkmark$ 





#### erGO! TELESCOPIC HANDLE

#### Ergonomic floor handle with rotateable grip

- FAEPL/FAPLW: Supports intuitive S-shape motions - FAEPL/FASPL: Blockage-free pulse jet system for precise dosing and integrated

dosing lever

Part No.	Size	Version	Pack	
FAPLW	1,30 – 1,70 m	S-Shape w/o tank	1	
FAEPL	1,30 – 1,70 m	S-Shape w/ tank holder	1	
FASPL	1,30 – 1,70 m	Straight w/ tank holder	1	

#### erGO! MOP HOLDERS



#### Cleaning Pad and Pocket Mop Holders 40 cm

Cleaning Pad: for any looped pile flat mop, quick & easy operation
 Pocket: for any standard pocket mop or UNGER flat mop

<ul> <li>Click connection</li> </ul>	for erGO! handles
--------------------------------------	-------------------

Part No.	Size	Version	Pack	
FAVMH	40 cm	Cleaning Pad	5	
FAPMH	40 cm	Pocket Mop	5	



#### Cleaning Pad, Pocket- and Flat Mop 40 cm

- High quality microfibre pile mops for easy glide and superb cleaning action
- Compatible to all standard systems
- Incl. colour coding stripes

Part No.	Size	Product	Pack	
FAVMC	40 cm	Cleaning Pad*	5	
FAPMM	40 cm	Pocket Mop*	5	
FAPML	40 cm	Flat Mop*	5	

\*100 % polyester microfibre




#### erGO! DISPOSABLE PAD MOPS

#### For hygienic cleaning and disinfection.

- No washing and preparation of mops necessary
- Material with high fluid absorption versatile application Avoids cross-contamination when changing mops after use
- Uniform application of surface disinfectants
- Hooks & Loops backs for all common Cleaning Pad holders such as erGO! (FAVMH) or DampMop Pad holder (SV40G)

Part No.	Size	Material	Pack
DMWS2D	40 cm	Blended fabric*	50

\*38 % polyester, 22 % viscose, 40 % other synthetic materials



#### Easy connection tanks for erGO! handles

#### - 2 versions 500 ml or 1.000 ml capacity

- Including unscrewable pulse jet unit
- Easy to fill, easy to assemble and to the handle

Part No.	Size	Product	Pack
FABTL	1.000 ml	Big Tank	1
FABTS	500 ml	Small Tank	1
FAORS	1 pack = 4 pieces	Colour Coding Rings	1
FAVAS		Pulse Jet Unit	1
FADTS	1 pack = 5 pieces	Dispenser tube	1

#### erGO! WonderWaxer HOLDER



- Light aluminium holder for WonderWaxer sleeve 40 cm
- Stabilisation hooks for straight fit of the sleeve
- For floor finishing
- Click connection for erGO! handles

Part No.	Size	Pack
QS020	40 cm	5



#### erGO! WAX SLEEVE/FINISHING PAD

#### WonderWaxer sleeve and Finishing Pad 40 cm

- Perfect for finishing floors
- Distributing wax without soaking it up - Up to 300 wash cycles
- Lint-free material for perfect results

Part No.	Size	Product	Pack	
QS010	40 cm	WonderWaxer**	10	
FAVMF	40 cm	Finishing Pad*	5	

\*100 % polyester microfibre

\*\*65 % polypropylene, 35 % polyester







#### erGO! BACKPACK 5 L

#### For transportation of finishing or cleaning chemicals

- Strong nylon backpack with solid 5 l plastic pouch
   Available filling utilities like hose and canister valves
- Connection hose incl. pulse-jet-unit to connect the backpack with
  - COI har

the eroo: na	inute		
Part No.	Size	Product	Pack
FABAP		Backpack	1
FABAR	5 l	Pouch	5
FABAH		Connection Hose	1
FABAK		Refill Kit	1

### FLOOR CLEANING DOUBLE BUCKET





# Floor cleaning more efficient, hygienic and safer than ever before

- Compact and lightweight double bucket for damp and wet mopping of floors.
- Ergonomic floor mopping and wringing out of the mop without bending down.
- The intuitive two-chamber system ensures hygienic cleaning results by excluding the re-application of the dirty water.
- Effective mop preparation with visual inspection without touching it.

ERGONOMIC POLE

height-adjustable and anti-slip handles with soft zones

BUCKET FOR

transport

Pack

1

**CLEAN WATER** 

Guidance with splash

protection prevents

spilling over during

#### HYGIENIC CLEANING AND HIGHER PRODUCTIVITY



**Hygiene:** 2 times more effective at removing microbes\* than traditional floor cleaning systems.



Efficiency: Over 40 % faster\* than conventional floor cleaning systems



**Safety:** Cleaned surfaces dry twice as fast\* and therefore minimize the risk of accidents

\*Independent test report from Sitemark® FM Best Practice Benchmarking, September 2020



Pack

1

#### **OmniClean SPOT CLEANING KIT**

#### For selective cleaning of small to medium-sized areas

- Content: - OmniClean S telescopic handle with tank and release mechanism
- OmniClean Stelescopic handle with tank and release - OmniClean Pad mop holder 40 cm
- Omilicitian Pad mop notice 40 cm
   2 × OmiClean microfibre pads 40 cm (CLMFPD)
- erGO! Tank 1000 ml (FABTL)
- erGO! Tank 500 ml (FABTS)
- Retaining clip for two erGO! Tanks
- OmniClean Cart with curved handle and hanging pocket
- 2 × Storage container
- 6 l bucket with integrated scrub board (dirty water)
- Labels for colour coding
   Telescopic dust pan (EDTBG)
- Telescopic dust part (EDTBG

Part No. CLSPKD



#### **OmniClean INTENSIVE CLEANING PAD MOP**

#### Microfibre mop 40 cm

- High cleaning power thanks to microfibres and scrubbing fibres
- Hooks & loops back for quick and precise installation on the pad mop holder
- Colour coded stripes for cutting

Part No.	Dimension	Material	Pack
CLMFPD	40 cm	100% polyester	5

#### PATENTED


WRINGING MECHANISM removes any remaining dirt particles from the microfibre pad, thus ensuring clean water and increased cleaning performance

#### SCRUB BOARD

removes dust and other debris from the microfibre pad before wringing

#### BUCKET FOR

DIRTY WATER separate bucket for water with all dirt and dust particles



#### For damp and wet mopping of medium to large areas Content:

- OmniClean Telescopic handle without tank, straight
- OmniClean Pad mop holder 40 cm
- OmniClean Microfibre pad 40 cm (CLMFPD)
- OmniClean Cart with straight handle
- Bucket 6 l (clean water)
- 6 l bucket with integrated scrub board (dirty water)
   Labels for colour coding
- Part No.

CLBK1D

## **FLOOR CLEANING DOUBLE BUCKET**





#### SmartColor COMB0 30 L

#### Complete dual bucket with press.

- Two compartments keep clean and dirty water separated

- Emptying via drain spout and dump spout
- Labels included for colour coding
- Complete with vertical press
- Available accessories: Adapter hose WH180

Part No.	Content	Colour	Pack
COMBG	30 L	•	1



#### The convenient floor care sets.

- Perfect for professional floor care
   Complete with UNGER SmartColor Mop Holder SM40G and Telescopic Handle
- SF14G Set also includes large 30 l dual bucket
- Select a floor mop from our wide range of colour coded products



#### - Fits on every standard water tap

- Allows for convenient filling of bucket on-site

Part No.	Size	Pack
WH180	180 cm	10

0	SmartColor COMB0 15 L

#### Compact complete dual bucket with press.

- Two compartments keep clean and dirty water separated Labels included for colour coding
- Complete with vertical press - Available accessories: Adapter hose WH180, side bucket SMSBG

Part No.	Content	Colour	Pack
COMSG	15 L		1




#### SmartColor SWIVEL BRUSH & SmartColor SWIVEL CORNER BRUSH

#### Perfect for corners, edges of floors, walls and partitions.

- Durable polypropylene bristles remove even severe dirt
   Swivel head is easy to maneuver and reduces bending and over-reaching
   Angled bristles provide optimal cleaning of corners and edges

Labels included for colour coding
 ACME threaded handle socket

- ACML INCODE	Handle Socket	
Part No.	Size	Pack
SB20G	20 × 8 cm	10
CB20G	22 cm	10



### **FLOOR CLEANING MICROFIBRE MOPS & MOP HOLDER**



Part No.	Size	Ø	Colour	Pack
SM40G	40 cm	21–23 mm	•	5



#### SmartColor MICR0 M0P 15.0

#### Durable microfibre mop, ideal for tiles and stone floors with grout lines.

Heavy duty 15 mm long fibres with large surface area

- Cut microfibre for improved dirt absorption and streak-free cleaning Reduces bacterial contamination by up to 96 %
- Holds 6 times its own weight in water perfect for cleaning large areas
- Machine washable up to 500 times
   Fits on UNGER Flat Mop Holder SM40G + erG0! Pocket Mop Holder FAPMH

Part No.	Size	Colour	Material	Pack	
MM40R	40 cm	•	Microfibre*	5	
MM40Y	40 cm	•	Microfibre*	5	
MM400	40 cm	•	Microfibre*	5	
MM40B	40 cm	•	Microfibre*	5	

\*Support material: 100 % polyester; Fibres: 100 % polyester



#### SmartColor MICR0 M0P 7.0

- Microfibre mop, ideal for vinyl or sealed floors without grout lines.
- 7 mm long fibres - Cut microfibre for improved dirt absorption and streak-free cleaning
- Reduces bacterial contamination by up to 96 %
- Machine washable up to 500 times
- Fits on UNGER Flat Mop Holder SM40G + erGO! Pocket Mop Holder FAPMH

Part No.	Size	Colour	Material	Pack	
MD40R	40 cm	•	Microfibre*	5	
MD40Y	40 cm	•	Microfibre*	5	
MD400	40 cm	•	Microfibre*	5	
MD40B	40 cm	•	Microfibre*	5	

\*Support material: 100 % polyester; Fibres: 100 % polyester



#### Microfibre mop for absorption of large amounts of liquid.

- 14 mm long microfibres, extra-large surface
- Absorbs up to 1 l liquid immediately

SmartColor SPILL MOP 1 L

- Machine washable up to 500 times
- Fits on UNGER Flat Mop Holder SM40G + erGO! Pocket Mop Holder FAPMH

Part No.	Size	Colour	Material	Pack	
MA45R	47 × 21 cm	•	Microfibre*	5	
MA45Y	47 × 21 cm	•	Microfibre*	5	
MA450	47 × 21 cm	٠	Microfibre*	5	
MA45B	47 × 21 cm	•	Microfibre*	5	

\*Support material: 100 % polyester; Fibres: 100 % polyester

#### i **BENEFITS OF USING UNGER'S 100 % MICROFIBRE** MOPS

- Clean with less water, less chemicals and less streaking
- Reduces bacterial contamination up to 96 % compared to traditional mop heads
- Long lasting and durable, withstands up to 500 wash cycles

While stocks last
-------------------



#### Microfibre pad with high density looped pile for streak free results.

- Machine washable up to 500 times
- Uses less water and solution so floors dry quicker
- Attaches to Pad Holder with hooks & loops backing - Use with SV40G DampMop Pad Holder or any standard 40 cm Pad Holder
- + erGO! Pad Mop Holder FAVMH - Swivel head Pad Holder - glides easily across floors

Part No.	Size	Colour	Material	Pack
DV40R	50 cm	•	Microfibre*	5
DV40Y	50 cm	•	Microfibre*	5
DV400	50 cm	•	Microfibre*	5
SV40G	50 cm	Damp	Mop Pad Holder	5

\*Support material: 100 % polyester; Fibres: 100 % polyester

### FLOOR CLEANING MICROFIBRE MOPS & MOP HOLDER



#### **PRODUCT GUIDE - FLOOR CLEANING - WET & DAMP MOPPING**

Our product guide below will help you to identify the best set of tools for keeping the floor perfectly clean.

Mops / Pads	Ceramic	Natural Stone	Flexible Coverings		Parquet /		Specific Cases	5	Mop Holders	Double Buckets
<b>O</b> p. 73-76	Tiles	(Granite, Marble, Slate)	(Linoleum, PVC/Vinyl, Rubber)	Laminate	Wood	Cork	Concrete/ Cement	Epoxy Covering	🔊 p. 73 - 76	🗩 p. 74–75
erG0! clean mops Pocket Flatmop	~	~	Tiles/ On Roll	~	Sealed*		~	~	erGO! Pocket Mop Holder	SmartColor COMBO 15 l/30 l
SmartColor SPILL MOP 11	~						Sealed*	✓*	SmartColor	
SmartColor MICRO MOP 15.0	~		On Roll				Sealed*	✓*	MOP HOLDER	<b>AND</b>
SmartColor MICR0 MOP 7.0			On Roll		Sealed		Sealed	√*	-	
erGO! clean Mop Pad	~	~	On Roll	~	Sealed*		~	~	erGO! Mop Pad Holder	
erGO! Disposable Pad Mops	~	~	Tiles	~	Sealed	~	Sealed	~		
SmartColor DAMP MOP Pad		~	Tiles	~	Sealed	~	Sealed	~	SmartColor Damp Mop Pad Holder	
OmniClean Mop Pad	~	~	On Roll	~	Sealed		~	~	Omni Clean Mop Pad Holder	6

This information provided in this chard is for guidance only. No responsibility accepted for accuracy. \*To clean wooden floors or sealed surfaces, use damp or dry mop.

**1**∐R

### FLOOR CLEANING FLOOR SQUEEGEES

#### **FLOOR SQUEEGEES**

Ideal for commercial cleaning, **UNGER** floor squeegees effectively remove excess water, oil and other liquids from large hard floor areas. Use our product guide below to identify the right squeegee for specific premises or job requirements.

Squeegee	Dual Blade	Unsealed Concrete	Sealed Concrete	Steel	Industrial Carpet	Tarmac	Marble	Vinyl	Rubble Stone/Stoneware	Rubber Flooring	Tartan Track	Wood (Inside/Outside)	Areas of Application	Rubber	Solvent Resistance*	Oil Resistance**	Acid Resistance	Inserts & Threads		Ď
Sanitary Squeegee + Combi Brush	~						~	~	~	~	~		Push and dry: Water, liquids, solvents	Natural rubber (black and natural foam material)	(+)	+	+	ACME thread		p. 79
WaterWand (black Rubber)	~						~	~	~	~	~		Push and dry: Water, liquids, solvents	Black neporene rubber (Chlorophen, foam material)	(+)	+	+	Universal socket		p. 79
WaterWand (red Rubber)	~						~	~	~	~	~		Push and dry: Water, liquids, solvents	Red neoprene rubber (Chlo- rophen, foam material)	+	++	++	Universal socket	A	p. 79
AquaDozer®		~	~	~	~	~	~					~	Push away high volumes: Water, dirt, waste, shavings, snow	EPDM (Ethylene-propylene-diene)	+	+	+	Conical universal socket		p. 79

\* Aliphatics, Aromatics, Ketones, Varnishes \*\* Lubricating Oils, Oils, Gasolines, Essential Oils, Carrier Oils

#### DOUBLE BLADE

i

The double blade ensures effective removal of liquid on all types of flat surfaces, even with grooves, tile joints or textured finish.



#### BLACK RUBBER


• All-purpose foam rubber

• Perfect for cleaning in most areas



#### RED RUBBER

- Excellent resistance to oils, acids, greases and solvents
- Ideal for cleaning in factories, garages and vehicle maintenance facilities



Floor Handles p. 80





While stocks last

#### SANITARY SQUEEGEE

#### Squeegee with double blade foam rubber blade, black. ACME thread.

- Plastic body for increased hygiene - Acid, rust and scratch proof

- With splashguard

Part No.	Size	Pack
PM45A	45 cm	10
PM55A	55 cm	10



SANITARY COMBI BRUSH

2 tools in one: Brush with polypropylene bristles and squeegee with double blade foam rubber blade, black. ACME thread. - Scrubber to remove dirt

- Foam rubber blade for drying floors and joints – Very sturdy, but lightweight

,	2	5		
Part No.		Size	Pack	
PB45A		45 cm	10	
PB55A		55 cm	10	




#### For lighter jobs with double blade black foam rubber.

- Great for cleaning joints

- Sturdy zinc plated steel body

– For streak free floor drying		
Part No.	Size	Pack
MW450	45 cm	10



#### WaterWand HEAVY DUTY

#### Reinforced version for heavier jobs with double blade black rubber.

- Great for cleaning joints
- Sturdy zinc plated steel body
   For streak free floor drying

· · · · · · · · · · · · · · · · · · ·		
Part No.	Size	Pack
HM450	45 cm	10
HM550	55 cm	10
HM750	75 cm	10



#### WaterWand HEAVY DUTY RED

Reinforced version for heavy duty jobs with double blade red foam rubber, oil and acid resistant.

- Great for cleaning joints
- Sturdy, zinc plated steel body
   For streak free floor drying

Part No.	Size	Pack	
HW550	55 cm	10	
HW750	75 cm	10	



#### WaterWand ACME THREAD INSERT

For all WaterWand squeegees.

FWAI0

Par

Pack 10



#### AquaDozer®

#### For heavy duty jobs, black EPDM rubber. Ideal for industrial environment. - Sturdy construction

- Solid handle socket

Part No.	Size	Version	Pack
FP600	60 cm	Straight	6
FP900	90 cm	Straight	6
FP60C*	60 cm	Curved	6
FP90C	90 cm	Curved	6



1 41 ( 110.	Tuek
FAAIO	10

### **FLOOR CLEANING FLOOR HANDLES**

Holder/Sque	egee		FAPLW	MS18G	MH140	MH14G	EZ25G	HH13R	AL14A	AL14T	AL140	
	Diameter		Ø 21 mm	Ø 21 mm	Ø 23 mm	Ø 23 mm	Ø 21 mm	Ø 21 mm	Ø 25 mm	Ø 25 mm	Ø 25 mm	
	Inserts & Threads	_	Hole	Hole for C-Clip	Hole for C-Clip	Hole for C-Clip	ACME Thread	ACME Thread	ACME Thread	ACME Thread	Conical	
	Inserts & Threads		1	1	1							
-	erGO! Pocket Mop Holder	FAPMH	~	~			~	~				p. 73
ala	SmartColor Mop Holder	SM40G	~	~	~	~	~	~				p. 76
4	erGO! Mop Pad Holder	Favmh	~	~			~	~				p. 73
and a	SmartColor Damp Mop Pad Holder	SV40G	~	~	~	~	~	~				p. 76
	Sanitary Squeegee Sanitary Combi Brush	PM45A PM55A PB45A PB55A					~	~	~	~		p. 79
the second second	SmartColor SWIVEL Brushes	SB20G CB20G					~	~	~	~		p. 75
1	WaterWand	MW450 HMxxx HWxxx			~	~		+ FWAI0	+ FWAI0	+ FWAI0	~	p. 79
	AquaDozer®	FP600 FP900							+ FAAI0	~		p. 79



Ergonomic aluminium telescopic handles.

- Length can be adjusted and secured at any point to suite individual height
 - Cone fits all UNGER mop holders
 - Labels included for colour coding

Part No.	Size	Ø	Colour	Pack
FAPLW	1,30 – 1,70 m	21 mm	۲	1
EZ25G	1,30 – 2,50 m	21 mm	٠	10
MS18G*	1,30 – 1,80 m	21 mm	•	10

artColor	ΜΟΡΗΔΝΟΙ	F

#### SmartColor MOPHANDLE

#### Lightweight aluminium mop handles.

Mop holder snaps into place
 Solid and light, made of aluminium, with ergonomic plastic handle
 Labels included for colour coding

Part No.	Size	Ø	Colour	Pack
MH140	1,40 m	23 mm	•	20
MH14G*	1,40 m	23 mm	•	10
HH13R*	1,30 m	21 mm	٠	10

\*While stocks last

ProAlu 1,5° HANDLE										
Handle with 1,5° taper socket. – Lightweight and solid aluminium – Handle Ø 25 mm										
Part No.	Size	Ø	Pack							
AL140	1,40 m	25 mm	10							
ProAlu AC	ME									
Handle with ACME threaded zinc alloy tip. – Lightweight and solid aluminium – Handle Ø 25 mm										
Part No.	Size	Ø	Pack							
AL14A	1,40 m	25 mm	10							

#### ProAlu 3,0° HANDLE

#### Handle with 3,0° taper socket combined with ACME threaded zinc alloy tip. Lightweight and solid aluminium Handle Ø 25 mm

Part No.	Size	Ø	Pack
AL14T	1,40 m	25 mm	10

## **FLOOR SCRAPERS & MAINTENANCE TOOLS**



	RAPER LIG	HT DUTY			
Convenient	, <b>with 1,20 m erg</b> operation while s harp/blunt edge	tanding	onent handle.		
art No.	Handle	Blad	e P	ack	
H120	1,20 m	10 cr	n	10	
nless Steel	Floor Scraper Bl	ades 10 cm. Rev	ersible sharp/b	unt edge blade.	
B100	1 Dispe	enser = 10 blades	s 10 Dis	pensers	
				le stocks last	
			wn	le stocks tes	A
LUUR SU	RAPER ME				
	luty jobs, with 1,	50 m aluminium	handle.		
For industria Reversible s	al scraping harp/blunt edge	blade			
art No.	Handle	Blad		ack	
	1.50 m	15 cr		10	
2000		10 01		-	
-	lades 15 cm. Rev		-		
DSB0	1 Dispe	enser = 10 blades	s 5 Disp	ensers	
	RAPER HE				
LOOK SC		AVI DOTT			-
Convenient	<b>y jobs, with 1,50</b> operation while s harp/blunt edge	standing			
art No.	Handle	Blad	e P	ack	
DSS0	1,50 m	20 cr	n	1	
or Scraper B	lades 20 cm. Rev	versible sharp/b	lunt edge blade		
DSB0		enser = 10 blades	-	ensers	
				2 2 2	55
			- 5		
	ool boldor Toolc	are inserted fro	om front.		
<b>ll-purpose t</b> vailable in 2 Tools snap in Practical an Simply attac	versions (3 or 6 nto rubber rolls i d ideal for quick ; h to wall, using c	n front access			
<b>ll-purpose t</b> vailable in 2 Tools snap i Practical an Simply attac For diamete	versions (3 or 6 nto rubber rolls i d ideal for quick h to wall, using c r Ø 21 – 32 mm	n front access dowels			
Il-purpose t vailable in 2 Tools snap ii Practical an Simply attac For diamete art No.	versions (3 or 6 nto rubber rolls i d ideal for quick a th to wall, using c r Ø 21 – 32 mm Size	n front access dowels	Info	Pack	
II-purpose t vailable in 2 Tools snap in Practical an Simply attac For diamete art No. 0350	versions (3 or 6 nto rubber rolls i d ideal for quick th to wall, using c r Ø 21 – 32 mm Size 35 cm	n front access dowels Ø 21–32 mm	3 holders	5	
II-purpose t vailable in 2 Tools snap in Practical an Simply attac For diamete art No. 0350	versions (3 or 6 nto rubber rolls i d ideal for quick a th to wall, using c r Ø 21 – 32 mm Size	n front access dowels			
II-purpose t vailable in 2 Tools snap in Practical an Simply attac For diamete art No. 0350	versions (3 or 6 nto rubber rolls i d ideal for quick th to wall, using c r Ø 21 – 32 mm Size 35 cm	n front access dowels Ø 21–32 mm	3 holders	5	
II-purpose t valiable in 2 Tools snap i Practical an Simply attac For diamete art No. 0350 0700	versions (3 or 6 hto rubber rolls i dideal for quick i h to walt, using c r Ø 21 – 32 mm <u>Size</u> 35 cm 70 cm	n front access jowels 21-32 mm 21-32 mm	3 holders 6 holders	5	
II-purpose t valiable in 2 Tools snap i Practical an Simply attac For diamete art No. 0350 0700 00LD UP vols are insec Simply attac	versions (3 or 6 nto rubber rolls i d ideal for quick th to wall, using c r Ø 21 – 32 mm Size 35 cm	n front access dowels 21–32 mm 21–32 mm bttom and held ir dowels	3 holders 6 holders	5	
vaitable in 2 Tools snap ii Practical an Simply attac For diamete art No. 0350 0700 IOLD UP ools are insec Simply attac	versions (3 or 6 hto rubber rolls i dideal for quick i h to wall, using c r Ø 21 – 32 mm Size 35 cm 70 cm ented from the bo	n front access dowels 21–32 mm 21–32 mm bttom and held ir dowels	3 holders 6 holders n place by strong smaller tools	5	



#### ERGO DUST PAN

#### For quick and thorough waste removal.

#### - Ergonomic and convenient - Dust pan opens when raised, and retains the waste

- Telesconic handle (EDTBG) can be adjusted to suit individual height

- retescopic n	anute (EDTDO), can be	aujusteu to suit inu	ividual neight
Part No.	Size	Туре	Pack
EDTBG	83 × 30 cm	Telescopic	6
EDPBR	83 × 30 cm	Standard	6



- Complete wax applicator with 1,40 m handle. For applying finishing fluid to wooden floors
- Convenient operation while standing
- Swivel head, replaceable sleeve with snap fasteners

Part No.	Size	Material	Pack
QS140	40 cm	Blended fabric*	10

#### WonderWaxer REPLACEMENT SLEEVE

Part No.	Size	Material	Pack	
QS010	40 cm	Blended fabric*	10	

\*65 % polypropylene, 35 % polyester



#### i WONDER WAXER

The superlight WonderWaxer is ideal for applying wax to almost all types of floor. The head swivels to reach difficult areas. The low-lint fabric sleeve is replaceable and fits firmly on the T-bar with snap fasteners. The WonderWaxer is perfect for use on gym and commercial floors. Perfectly fits to 28 l bucket QB220 on page 54.

45 cm

90 cm

5

5

HU450

HU900\*

# MICROFIBRE CLOTH SYSTEM



#### **MICROFIBRE CLOTH SYSTEM**

#### AVOID BACTERIAL CONTAMINATION!

- Five-colour system for optical coding optimises cleaning by dividing tools and areas
- Matching coded tools assigned to specific cleaning areas prevent dangerous bacterial contamination
- Colour-coding facilitates the application of specific chemicals, thus protecting valuables like furniture and floor coverings

#### **CLOTH SURFACE GUIDE**

- Guidelines for choosing the right microfibre for the right task
- Optimization of your return on investment (ROI) by purchasing the best grade for your needs




#### GRADING SYSTEM EXPLAINED

The range of cleaning products that microfibre may be used for is dictated by many qualities, including fibre thickness, length, finishing, abrasiveness, absorbency, cloth dimension, edging and quality manufacturing techniques. **UNGER** has established several

#### DURABILITY

i



performance factors that have been tested, measured and validated by ASTM independent laboratories and other US standard industry tests. This criteria is designed to assist end users in the selection process when purchasing microfibre cloths.

#### **TEST DESCRIPTIONS**

- Durability (Wear Cycles)\*\* The higher the factor, the greater number of times the microfibre cloth can be moved across an abrasive surface before wearing through and degrading or developing holes
- Scrub Factor (Abrasiveness)\*\* The higher the scrub factor, the better the performance of the cloth in removing dirt and bacteria from surfaces and microscopic crevices
- Absorbency\* The higher the factor, the more liquid the cloth will absorb and hold
- Wash Cycles A higher number of wash cycles indicates the longevity of the cloth through machine wash and dry cycles before deteriorating

\*\*ASTM Tests \*Standard US Industry Tests

### MICROFIBRE CLOTH SYSTEM MICROFIBRE CLOTHS & SPRAYER



#### SmartColor MicroWipe

High quality microfibre cloth. Resistant against frequent commercial wash cycles. Use the table below to choose the right grade to maximise the return on your investment.

Part No.	Size	Colour	Weight/m <sup>2</sup>	Durability	Scrub Factor (Abrasivness)	Absorbency	Wash Cycles	Material	Pack
4000									
MF40R	40 × 38 cm	•	450 g	4000**	38**	1700 ml*	1500	Microfibre***	10
MF40J	40 × 38 cm	•	450 g	4000**	38**	1700 ml*	1500	Microfibre***	10
MF400	40 × 38 cm	•	450 g	4000**	38**	1700 ml*	1500	Microfibre***	10
MF40B	40 × 38 cm	•	450 g	4000**	38**	1700 ml*	1500	Microfibre***	10
2000									
MB40R	40 × 40 cm	•	350 g	2000**	36**	1400 ml*	1000	Microfibre***	10
MB40J	40 × 40 cm	•	350 g	2000**	36**	1400 ml*	1000	Microfibre***	10
MB400	40 × 40 cm	•	350 g	2000**	36**	1400 ml*	1000	Microfibre***	10
MB40B	40 × 40 cm	•	350 g	2000**	36**	1400 ml*	1000	Microfibre***	10
500									
MC40R*1	40 × 40 cm	•	300 g	500**	34**	1100 ml*	500	Microfibre***	10
MC40J*1	40 × 40 cm	•	300 g	500**	34**	1100 ml*	500	Microfibre***	10
MC400*1	40 × 40 cm	•	300 g	500**	34**	1100 ml*	500	Microfibre***	10
MC40B*1	40 × 40 cm	•	300 g	500**	34**	1100 ml*	500	Microfibre***	10
200									
ME40R	40 × 40 cm	•	250 g	200**	39**	1700 ml*	200	Microfibre***	10
ME40J	40 × 40 cm	•	250 g	200**	39**	1700 ml*	200	Microfibre***	10
ME400	40 × 40 cm	٠	250 g	200**	39**	1700 ml*	200	Microfibre***	10
ME40B	40 × 40 cm	•	250 g	200**	39**	1700 ml*	200	Microfibre***	10
ME40W	40 × 40 cm	0	250 g	200**	39**	1700 ml*	200	Microfibre***	10

Colours may vary from batch to batch.

\*1While stocks last



4


30

SPRAYER	ON	A	BELT

Fits to the belt for optimum weight support. - Flexible hose allows upside down spraying 

- 1 l bottle included
- Compatible with standard bottles
- Includes colour coding labels

Part No.	Content	Pack
SOABG	1 l	5



\*\*ASTM Tests \*Standard US Industry Tests, Details p. 82 \*\*\*80 % polyester, 20 % polyamide



#### **RECOMMENDED USAGE**

🛑 General Washroom
🦰 Clinical
Food and Bar Area
General Low Risk Area
Bespoke or Site Specific

## DUSTING BRUSHES & DUSTERS





### DUSTING **MICROFIBRE DUSTERS**









#### Telescopic lambswool duster with bendable head.

- Telescopic handle extends from 70 to 150 cm for dusting high objects - Statically charged disposable sleeve grabs and retains dust

- Includes 1 disposable sleeve

Part No.	Size	Info	Pack
LWDUR	70 – 150 cm	Duster + 1 Disp. Sleeve*	10
DS10Y	46 × 18 cm	Disposable Sleeve*	1 Bag (10)
DS50Y	46 × 18 cm	Disposable Sleeve*	1 Bag (50)

\*100 % polypropylene

	7	4		
			<b>StarDuster®</b> PRO FLEX 75	
Includes 3 dis – Bends and r – Microfibre s	sposable sleeves retains shape to cle	derneath furniture and an hard-to-reach areas and machine washable ing Cone	5	
Part No.	Size	Material	Pack	
PXD7G	75 cm	Microfibre*	10	

\*100 % polyester



#### Disposable or reusable replacement microfibre sleeves.

Effectively lift and hold the dirt
Microfibre sleeve is machine washable

Part No.	Info	Material	Pack
PS50W	Disposable Sleeve	**	1 Bag (50)
PM05W	Microfibre Sleeve	*	1 Bag (5)

\*100 % polyester, \*\*100 % polypropylene



### WASHROOM CLEANING **TOILET & WASHROOM CLEANING**



BBWHR Replacement Head 5



#### Ergonomic squeegee for mirrors and smooth surfaces.

- Ergonomic bi-component handle, designed for comfortable hold
- Stainless steel S-Channel with variable positioning options
- Professional quality Soft Rubber for optimal cleaning results

Part No.	Size	Pack	
ES35R	35 cm	10	
NE350	35 cm	10	
RR350	35 cm	10	



#### Ergonomic toilet brush for professional application.

Features 66 cm handle with 360° cleaning radius
Replaceable brush heads and swabs available

Part No.	Content	Pack	
BBCOR	2 × Brush head + 1 × handle	5	
BBHLR	Brush Holder	5	
BBRHR	2 × Brush head	5	



ber blade and ACME Thread.

Part No.	Size	Pack	
PB45R	45 cm	10	



ERGO WALL SQUEEGEE, 35 cm

- Light twin blade foam rubber for drying tiles and grout lines – Streak-free cleaning
- T-bar material made of acid proof polypropylene

- Ergonomic handle, detachable - squeegee also fits on pole

Part No.	Size	Colour	Pack	
EW35G	35 cm	•	10	
EW35R*	35 cm	•	10	
*While stocks last				



Durable microfibre washer for cleaning mirrors and walls.

#### - Superior cleaning power

High water retention – up to 6 times its own weight, ideal for cleaning larger areas
 Machine washable up to 500 times sleeve with side scrub pad

- Lightweight plastic T-Bar with water wells

• •			
Part No.	Size	Material	Pack
EC45R*	45 cm	Microfibre**	10
NS45R	45 cm	Microfibre**	10

\*\*Support material: 100 % polyamide; Fibres: 100 % polyethylene



Nifty	vNahhor® V	VASHROOM
IN III C	ynannei v	VASIINUUM

#### The hygienic all-purpose grabber.

- Keeps refuse at a distance with a 53 cm long handle

- Solid design made of aluminium and metal
- Powerful rubber-coated claws for firm and precise grip of objects

Part No.	Size	Pack
NN40R	53 cm	5

## **SPARE PARTS**




# Extensive range of spare parts

### Always on the safe side

PURE WATER FATER HYDRO POWER' ROS

HYDRORO

In a separate list **UNGER** offers spare parts and consumables for the most common products from all categories. You can obtain the spare parts from your specialist dealer.





#### **İ** SPARE PARTS LIST DOWNLOAD

This QR code leads you to the digital spare parts overview on the **UNGER** website:





## INFORMATIONEN **ON A PROFESSIONAL LEVEL**

Discover everything you need to know about UNGER products and the latest cleaning technologies on our homepage and in our social media channels:

### **Community Updates**

instagram.com/ungereurope facebook.com/ungergermany





### Application, **Tips & Tricks, Lifehacks** youtube.com/ungereurope





### Further social media channels:

linkedin.com/company/unger-germany

twitter.com/ungereurope



20,66344

Terms of delivery and payment: This product assortment, valid from 01.01.2023, replaces all previous lists. The general terms of delivery and payment of UNGER Germany GmbH apply - No responsibility accepted for accuracy; subject to change without notice.

**UNGER Germany GmbH** Piepersberg 44 D-42653 Solingen GERMANY Tel.: (49) 0212 2207 260 Fax: (49) 0212 2207 222 ungereurope@ungerglobal.com

#### UNGER Enterprises LLC.

#### UNGER UK Ltd.

F1 Deansgate, 62-70 Tettenhall Road Wolverhampton, WV1 4TH UNITED KINGDOM Tel.: (44) 01902 306633 Fax: (44) 01902 306644 ungeruk@ungerglobal.com



133.32 20 A.

EN / VK061

### Service & Infos



www.ungerglobal.com

- Intuitive product pages
- Practical knowledge
- Dealer search
- Download of information materials



### ALWAYS UP TO DATE -WITH THE UNGER NEWSLETTER

With our newsletter (on www.ungerglobal.com) you will always find out about the latest promotions and new product launches from UNGER.

#### You also benefit from:

- Exclusive product reviews & news
- Tips & tricks for everything related to glass and commercial cleaning
- Attractive competitions
- A welcome gift

Dealer Stamp:

425 Asylum Street Bridgeport, CT 06610

Tel.: (1) 800 431 2324 Fax: (1) 800 367 1988 unger@ungerglobal.com