

ISO FLECT INSULATION

BEST THERMAL INSULATION MANUFACTURER - 2023
BUILD CONSTRUCTION & ENGINEERING AWARDS



BUILD AWARD WINNER 2023



BUILD AWARD WINNER 2024

Radon Gas Barrier




ISO FLECT INSULATION

BEST THERMAL INSULATION MANUFACTURER - 2023

BUILD CONSTRUCTION & ENGINEERING AWARDS

Isoflect Floor Pro stops Radon Gas from entering your home. It spreads over the entire surface. All overlaps, joints, perforations and generally all points where Radon Gas could penetrate are sealed with Isoflect Premium Tape aluminium tape. Spread on the concrete slab with the aluminium foil down and the bubble foil up. The concrete slab must be completely dry. Afterwards, any element can be installed. When laid on walls, Isoflect Floor Pro replaces the classic perimeter tape. Joints and overlaps are sealed with aluminium tape.



Muestra / Sample	Coeficiente de difusión / Diffusion coefficient $D \text{ (m}^2 \text{ s}^{-1}\text{)}$	
	Valor medio Mean value	Incertidumbre Uncertainty
Isoflect Floor Pro	$<1,0 \cdot 10^{-13}$	





ISO FLECT INSULATION

BEST THERMAL INSULATION MANUFACTURER - 2023

BUILD CONSTRUCTION & ENGINEERING AWARDS

Benefits:

- increases the performance of underfloor heating by about 30%
- recovers heat and returns it to the space to be heated
- Certification of active protection against radon ingress
- excellent compressive strength
- reduces noise transmitted through the floor






ISO FLECT INSULATION

BEST THERMAL INSULATION MANUFACTURER - 2023

BUILD CONSTRUCTION & ENGINEERING AWARDS



ISO FLECT FLOOR PRO | DIRECTLY UNDER THE HEATING COIL

Privacy Notice: This presentation may contain confidential or legally protected information that is intended only for the person or entity named in the email address. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or use of the contents of this email is strictly prohibited.

© All rights reserved - 2024



ISO FLECT INSULATION

BEST THERMAL INSULATION MANUFACTURER - 2023

BUILD CONSTRUCTION & ENGINEERING AWARDS



ISO FLECT FLOOR PRO | BETWEEN POLYSTYRENE AND HEATING COIL PLATE

Privacy Notice: This presentation may contain confidential or legally protected information that is intended only for the person or entity named in the email address. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or use of the contents of this email is strictly prohibited.


© All rights reserved - 2024



ISO FLECT INSULATION

BEST THERMAL INSULATION MANUFACTURER - 2023

BUILD CONSTRUCTION & ENGINEERING AWARDS



ISO FLECT FLOOR PRO | BETWEEN FLOOR AND POLYSTYRENE

Privacy Notice: This presentation may contain confidential or legally protected information that is intended only for the person or entity named in the email address. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or use of the contents of this email is strictly prohibited.

© All rights reserved - 2024



ISO FLECT INSULATION

BEST THERMAL INSULATION MANUFACTURER - 2023

BUILD CONSTRUCTION & ENGINEERING AWARDS

Isoflect Floor Pro is installed with the aluminium face down.

For perimeter coverage, it is applied in a double layer and will thus replace the classic perimeter tape. Surplus will be removed later with a cutter.

There is no need to overlap adjacent layers.

At joints, seal with Isoflect Premium Tape 10 cm.



ISO FLECT FLOOR PRO | INSTALLATION DETAILS



ISO FLECT INSULATION

BEST THERMAL INSULATION MANUFACTURER - 2023

BUILD CONSTRUCTION & ENGINEERING AWARDS

More about Radon in the links below: World Health Organization

<https://www.who.int/news-room/fact-sheets/detail/radon-and-health>



European map of average indoor radon concentration.

<https://remon.jrc.ec.europa.eu/About/Atlas-of-Natural-Radiation/Digital-Atlas/Indoor-radon-AM/Indoor-radon-concentration>



NOTE: Where Radon emissions do not occur, measurements are simply not taken. According to researchers, Radon emissions exist all over the Earth's surface, with differences and fluctuations that cannot yet be explained or predicted.

S.C. Isoflect Insulation S.R.L.

Băneasa Business & Technology Park, Șos. Bucharest - Ploiesti
42 -44, Building B, East Wing, Ground Floor, Postal Code:
13696

Tel: +40 21 780 75 85

E-mail: contact@isoflect.ro

Web: www.isoflect.ro | www.isoflectinsulation.eu